

## 11. Literatura

1. F.G. Salituro, C.T. Baker, J.J. Court, D.D. Deininger, E.E. Kim, B.Li, P.M. Novak, B.G. Rao, S. Pazhanisamy, M.D. Porter, W.C. Schairer, R.D. Tung.; Design and synthesis of novel conformationally restricted HIV protease inhibitors; *Bioorg. Med. Chem. Lett.* 1998, **8**, 3637-3642
2. M.G. Natchus, M.Cheng, C.T. Wahl, S. Pikul, N.G. Almstead, R.S. Bradley, Y.O. Taiwo, G.E. Mieling, C M. Dunaway, C.E. Snider, J.M. McIver, B.L. Barnett, S.J. McPhail, M.B. Anastasio, B. De. Design and synthesis of conformationally-constrained MMP inhibitors; *Bioorg. Med. Chem. Lett.* 1998, **8**, 2077-2080
3. I.G. Jones, W. Jones,M. North; The synthesis of conformationally constrained analogues of the ACE inhibitor Idrapril *Tetrahedron*, 1999. **55**, 279-290
4. J.-M.Vernier, H. Holsenback, N.D.P. Cosford, J.P Whitten, F. Menzaghi et al. Conformationally Restricted Analogues of Nicotine and Anabasine; *Bioorg. Med. Chem. Lett.* 1998, **8**, 2173-2178
5. T.K. Sarkar, S. Basak, S.K. Ghosh; A novel approach to conformationally restricted analogues of nicotine and anabasine by an intramolecular Hamaguchi-Ibata reaction *Tetrahedron Lett.* 2000, **41**, 759-762
6. a: C. Altona, M. Sundaralingam; Conformational analysis of the sugar ring in nucleosides and nucleotides. A new description using the concept of pseudorotation. *J.Am.Chem.Soc.* 1972, **94**, 8205-8212.  
b: C. Altona, M. Sundaralingam; Conformational analysis of the sugar ring in nucleosides and nucleotides. Improved method for the interpretation of proton magnetic resonance coupling constants. *J.Am.Chem.Soc.* 1972, **95**, 2333-2344
7. H. P. M. de Leeuw, C. A, G. Haasnoot, C. Altona; Empirical correlations between conformational parameters in β-D-furanoside fragments derived from a statistical survey of crystal structures of nucleic acid constituents. Full description of nucleoside molecular geometries in terms of four parameters. *Israel Journal of Chemistry* 1980, **20**, 108-126.
8. I.I. Mathews, M.D. Erion, S.E. Ealick; Structure of human adenosine kinase at 1.5 Å resolution. *Biochemistry* 1998, **37**, 15607-15620
9. W.J. Cook, L.J. De Lucas, D. Chattopadhyay; Crystal structure of adenosine kinase from Toxoplasma Gondii at 1.5 Å resolution. *Protein Science*, 2000, **9**, 704-712
10. S. Constanzi, C. Lambertucci, S. Vittori, R. Volpini, G. Cristalli; 2- and 8-alkynyl-adenosines: conformational studies and docking to human adenosine A<sub>3</sub> receptor can explain their different biological behavior. *Journal of Molecular Graphics and Modelling*, 2003, **21**, 253-262
11. A. Virgillo, V. Esposito, A. Randazzo, L. Mayol, A. Galeone; Effects of 8-methyl-2'-deoxyadenosine incorporation into quarduplex forming oligodeoxyribonucleotides. *Bioorg. Med. Chem.* 2005, **13**, 1037-1044
12. Q. Ji, J. Li, F. Ding, J. Han, M. Pang, S. Liu, J. Meng; Regio- and stereocontrolled synthesis and conformational analysis of benzimidazole nucleosides. *Tetrahedron* 2006, **62**, 2529-2536
13. Y. Mizuno; *The Organic Chemistry of Nucleic Acids*; Elsevier: Amsterdam, 1986; str 113-133
14. K. Seio, T. Wada, K. Sakamoto, S. Yokoyama, M. Sekine; Chemical Synthesis and Conformational Properties of a New Cyclouridylic Acid Having an Ethylene Bridge between the Uracil 5-Position and 5'- Phosphate Group *J. Org. Chem.*, 1996, **61**, 1500-1504 i literatura tam cytowana
15. R. Kumar, S.K. Singh, A.A. Koshkin, V.K. Rajwanshi, M. Meldgaard, J. Wengel; The First Analogues of LNA (Locked Nucleic Acids): Phosphorothioate-LNA and 2'-Thio-LNA *Bioorg. Med. Chem. Lett.* 1998, **8**, 2219-2222 i literatura tam cytowana

- 
16. D.A. Braasch, D.R. Corey; Locked nucleic acid (LNA): fine-tuning the recognition of DNA and RNA. *Chemistry & Biology* 2001, **8**, 1-7
  17. S. Obika, D. Nanbu, Y. Hari, K. Morio, Y. In, T. Ishida, T. Imanishi; Synthesis of 2'-O,4'-C-Methyleneuridine and -cytidine. Novel Bicyclic Nucleosides Having a Fixed C3'-endo Sugar Puckering *Tetrahedron Lett.* 1997, **50**, 8735-8738
  18. G. Wang, J-L. Girardet, E. Gunic; Conformationally locked nucleosides. Synthesis and stereochemical assignments pf 2'-C,4'-C-brifdged bicyclonucleosides. *Tetrahedron* 1999, **55**, 7707-7724
  19. S. Obika, T. Osaki, M. Sekiguchi, R. Somjing, Y. Harada, T. Imanishi; Synthesis and conformation of a novel bridged nucleic acid having a *trans*-fused 3,5,8-trioxabicyclo [5.3.0]decane structure. *Tetrahedron Lett.* 2004, **45**, 4801-4804.
  20. Y. Hari, S. Obika, R. Ohnishi, K. Eguchi, T. Osaki, H. Ohishi, T. Imanishi; Synthesis and properties of 2'-O,4'-C-methoxymethylene bridged nucleic acid. *Bioorg. Med. Chem.* 2006, **14**, 1029-1038
  21. V.E. Marquez, A. Ezzitouni, P. Russ, M.A. Siddiqui, H. Ford Jr., R.J. Feldman, H. Mitsuya, C. George, J.J. Barchi Jr.; HIV-1 Reverse transcriptase can discriminate two conformationally locked carbocyclic AZT triphosphate analogues. *J.Am.Chem.Soc.* 1998, **120**, 2780-2789
  22. V.E. Marquez, M.A. Siddiqui, A. Ezzitouni, P. Russ, J. Wang, R.W. Wagner, M.D. Matteuci; Nucleosides with a twist. Can fixed forms of sugar ring pucker influence biological activity in nucleosides and oligonucleotides. *J. Med. Chem.* 1996, **39**, 3739-3747
  23. M.A. Siddiqui, H. Ford Jr., C. George, V.E. Marquez; Synthesis, conformational analysis, and biological activity of a rigid carbocyclic analogue of 2'-deoxyaristeromycin built on a bicycle[3.1.0]hexane template. *Nucleosides & Nucleotides* 1996, **15** (1-3), 235-250
  24. V.E. Marquez, A. Ezzitouni, M.A. Siddiqui, P. Russ, H. Ikeda, C. George; Conformational analysis of nucleosides constructed on bicyclic[3.1.0]hexane template. Structure-antiviral activity analysis for the northern and southern hemispheres of the pseudorotational cycle. *Nucleosides & Nucleotides* 1997, **16**(7-9), 1431-1434
  25. V.E. Marquez, P. Russ, R. Alonso, M.A. Siddiqui, K.J. Shin, C. George, M.C. Niklaus, F. Dai, H. Ford Jr.; Conformationally restricted nucleosides. The reaction of adenosine deaminase with substrate buil on a bicyclic[3.1.0.]hexane template. *Nucleosides & Nucleotides* 1999, **18** (4&5), 521-530
  26. A. Procopio, S. Alcaro, A. De Nino, L. Maiuolo, F. Ortuso, G. Sindona; New conformationally locked bicyclic N,O-nucleoside analogues of aniviral drugs. *Bioorg. Med. Chem. Lett.* 2005, **15**, 545-550
  27. N. Kifli, T.T. Htar, E. De Clercq, J. Balzarini, C. Simmons; Novel bicyclic sugar modified nucleosides: synthesis, conformational analysis and antiviral evaluation. *Bioorg. Med. Chem.* 2004, **12**, 3247-3257
  28. L-G. Lin, V. Bakthavachalam, X.M. Cherian, A.M. Czarnik; Effect of cyclonucleoside formation on the rates of glycosidic hydrolyses in purine ribonucleosides. *J. Org.Chem.* 1987, **52**, 3113-3119
  29. H. Rosemeyer, G. Tóth, B. Golankiewicz, Z. Kazimierczuk, W. Bourgeois, U. Kretschmer, H-P. Muth, F. Seela; Syn-anti conformational analysis of regular and modified nucleosides by 1D <sup>1</sup>H NOE difference spectroscopy: A simple graphical method based on conformationally rigid molecules. *J. Org. Chem* 1990, **55**(22), 5784-5790
  30. H. Sierzputowska-Gracz, R.H. Guenther, P.F. Agris, W. Folkman, B. Golankiewicz; Structure and conformation of the hypermodified purine nucleoside wynosine and its isomers: a comparison of coupling constants and distance geometry solutions *Magn. Res. Chem.* 1991, **29**, 885-892

- 
31. B. Golankiewicz, W. Folkman, M. Popenda; 2-Metylowyozyna. Pierwszy przykład nukleozydu o zamrożonej konformacji *East* w roztworze. V Ogólnopolskie Sympozjum Chemii Organicznej, Konstancin-Jeziorna, 11-14.11.1998, abstrakt K10
  32. C. Glemarec, J-C. Wu, G. Remaud, H. Bazin, M. Oivanen, H. Lönnberg, J. Chattopadhyaya; Structure and reactivity of wyosine (Y-nucleosides) and its derivatives. Chemical, kinetic and spectroscopic studies. *Tetrahedron*, 1988, **44**(4), 1273-1290
  33. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 51-52, literat 191-192
  34. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 52, literat 193-194
  35. S. T. Rao, M. Sundaralingam (1970), Stereochemistry of nucleic acids and their constituents. XIII. The crystal and molecular structure of 3'-O-acetyl-adenosine. Conformational analysis of nucleosides and nucleotides with syn glycosidic torsion angle. *J.Am.Chem.Soc.* **92**, 4963-4970.
  36. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 196, 197
  37. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 198
  38. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 70, 109
  39. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 200-202
  40. K. G. Rao, C. N R. Rao (1973), Restricted rotation about the exocyclic C–N bond in nucleic acid bases. *J. Chem. Soc. Perkin Trans. 2*, 889-891.
  41. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 204
  42. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat. 205
  43. J. K. Dattagupta, W. Saenger, K. Bolewska, I. Kulakowska (1977), X-Ray study of 1,5,N<sub>4</sub>,N<sub>4</sub>-tetramethylcytosine-An overcrowded molecule with planar structure. *Acta Crystallogr. B* **33**, 85-89.
  44. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53-54 literat. 208
  45. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 52-53, literat. 191, 192
  46. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.1 Geometry of Bases, strona 53, literat.209, 210
  47. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 5.1 Charge Densities, strona 105, literat.71, 72, 180
  48. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 5.3 Tautomerism of Bases, strona 110, literat. 427
  49. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 5.3 Tautomerism of Bases, strona 114 literat. 429-433
-

- 
50. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 5.3  
Tautomerism of Bases, strona 114 literat. 179, 180
51. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 5.3  
Tautomerism of Bases, strona 114 literat. 410, 434
52. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 2.5  
Sugar puckering Modes: The Pseudorotation Cycle. Str 17 literat. 25
53. C. D. Jardetzky (1960), Proton magnetic resonance studies on purines, pyrimidines, ribose nucleosides and nucleotides. III. Ribose conformation. *J.Am.Chem.Soc.* **82**, 229-233.
54. J. E. Kilpatrick, K. S. Pitzer, R. Spitzer (1947), The thermodynamics and molecular structure of cyclopentane. *J.Am.Chem.Soc.* **69**, 2483-2488.
55. K. S. Pitzer and W. E. Donath (1959), Conformations and strain energy of cyclopentane and its derivatives. *J.Am.Chem.Soc.* **81**, 3213-3218.
56. C. Altona, H. J. Geise, C. Romers (1968), Conformation of nonaromatic ring compounds. XXV. Geometry and conformation of ring D in some steroids from X-ray structure determinations. *Tetrahedron* **24**, 13-32.
57. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.2  
Preferred Sugar Puckering Modes str.59 , literat. 73
58. M. Levitt, A. Warshel (1978), Extreme conformational flexibility of the furanose ring in DNA and RNA. *J.Am.Chem.Soc.* **100**, 2607-2613.
59. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.2  
Preferred Sugar Puckering Modes str. 57-59, literat 74, 211-215
60. W. K. Olson, J. L. Sussman (1982), How flexible is the furanose ring? 1. A comparison of experimental and theoretical studies. *J.Am.Chem.Soc.* **104**, 270-278;
61. W. K. Olson (1982), How flexible is the furanose ring? 2. An updated potential energy estimate. *J.Am.Chem.Soc.* **104**, 278-286.
62. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.2  
Preferred Sugar Puckering Modes str. 61 literat.223
63. R. Cushley, J. F. Codington J. J. Fox (1968), Nucleosides. XLIX. Nuclear magnetic resonance studies of 2'- and 3'-halogeno nucleosides. The conformations of the 2'-deoxy-2'-fluorouridine and 3'-deoxy-3'-fluoro- $\beta$ -D-arabinofuranosyluracil. *Can. J. Chem.* **46**, 1131-1140.
64. I. Ekiel, E. Darżynkiewicz, L. Dudycz, D. Shugar (1978), Solution conformation and relative acidities of the sugar hydroxyls of the O'-methylated derivatives of the antimetabolite 9- $\beta$ -D-xylofuranosyladenine. *Biochemistry* **17**, 1530-1536.
65. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.3  
Factors Affecting Furanose Puckering Modes str. 61, literat. 216, 228a
66. S. Uesugi, H. Miki, M. Ikehara, H. Iwahashi, Y. Kyogoku (1979), A linear relationship between electronegativity of 2'-substituents and conformation of adenine nucleosides. *Tetrahedron Lett.* **42**, 4073-4076.
67. W. Guschlbauer, K. Jankowski (1980), Nucleoside conformation is determined by the electronegativity of the sugar substituent. *Nucleic Acids Res.* **8**, 1421-1433.
68. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.3  
Factors Affecting Furanose Puckering Modes str. 62 literat. 231

- 
69. D. C. Rohrer, M. Sundaralingam (1970), Stereochemistry of nucleic acids and their constituents, XII. The crystal and molecular structure of  $\alpha$ -D-2'-amino-2'-deoxyadenosine monohydrate. *J.Am.Chem.Soc.* **92**, 4956-4962.
70. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.3 Factors Affecting Furanose Puckering Modes str. 62 literat. 173
71. J. A. Gerlt, A. V. Youngblood (1980), The solution conformational preference of the sugar and sugar phosphate constituents of RNA and DNA. *J.Am.Chem.Soc.* **102**, 7433-7438.
72. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.4 Bond Distances and Angles in Furanoses str 68, literat. 249, 250
73. S. Arnott, D. W. L. Hukins (1972), The dimensions and shapes of the furanose rings in nucleic acids. *Biochem. J.* **130**, 453-465.
74. B. Hingerty, W. Saenger (1976), Topography of cyclodextrin inclusion complexes. 8. Crystal and molecular structure of the  $\alpha$ -cyclodextrin-methanol pentahydrate complex. Disorder in a hydrophobic cage. *J.Am.Chem.Soc.* **98**, 3357-3365.
75. M. Sundaralingam (1965), Conformations of the furanose ring in nucleic acids and other carbohydrate derivatives in the solid state. *J.Am.Chem.Soc.* **87**, 599-606.
76. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 2.6 *syn/anti* Orientation About the Glycosyl Bond str.22-23, literat. 33,34,36
77. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 2.6 *syn/anti* Orientation About the Glycosyl Bond str.22-23, literat 19, 35
78. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.69, literat. 35, 167-169
79. W. Saenger, K. H. Scheit (1970), A pyrimidine nucleoside in the syn conformation: molecular and crystal structure of 4-thiouridine-hydrate. *J. Mol. Biol.* **50**, 153-169.
80. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.69, literat. 259
81. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.69 literat. 260-262
82. M. A. Viswamitra, B. S. Reddy, G. H. Y. Lin, M. Sundaralingam (1971), Stereochemistry of nucleic acids and their constituents. XVII. Crystal and molecular structure of deoxycytidine 5'-phosphate monohydrate. A possible puckering for the furanoside ring in  $\beta$ -deoxyribonucleic acid. *J.Am.Chem.Soc.* **93**, 4565-4572.
83. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.69-70 literat.264
84. G.H.-Y. Lin, M. Sundaralingam, S.K. Arora (1971), Stereochemistry of nucleic acids and their constituents. XV. Crystal and molecular structure of 2-thiocytidine dihydrate, a minor constituent of transfer ribonucleic acids. *J.Am.Chem.Soc.* **93**, 1235-1241.
85. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.70 literat.266
86. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.70 literat. 34
87. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.71 literat. 126, 141, 144, 145, 175, 178, 262, 268-270, 272-274

- 
88. H. Dugas, B. J. Blackburn, R.K. Robins, R. Deslauriers, I.C.P. Smith (1971), A nuclear magnetic resonance study of the conformation of  $\beta$ -cyanuric acid riboside. Further evidence for the *anti* rotamer in pyrimidine nucleosides. *J.Am.Chem.Soc.* **93**, 3468-3470.
89. M. P. Schweizer, J. T. Witkowski, R. K. Robins (1971) Nuclear magnetic resonance in determination of *syn* and *anti* conformation in pyrimidine nucleosides. *J.Am.Chem.Soc.*, **93**, 277-279
90. H.-D. Lüdemann, E. Westhof, O. Röder (1974), A dynamic correlation between ribose conformation and glycosyl torsion angle of dissolved xanthosine studied by continuous wave mode and pulsed nuclear magnetic resonance methods, *Eur. J. Biochem.*, **49**, 143-150.
91. D. W. Miles, L. B. Townsend, M. J. Robins, R. K. Robins, W. H. Inskeep, H. Eyring (1971), Circular dichroism of nucleoside derivatives. X. Influence of solvents and substituents upon the Cotton effects of guanosine derivatives. *J.Am.Chem.Soc.* **93**, 1600-1608.
92. M.P. Schweizer, E.B. Banta, J.T. Witkowski, R.K. Robins (1973), Determination of pyrimidine *syn*, *anti* conformational preference in solution by proton and carbon-13 nuclear magnetic resonance. *J.Am.Chem.Soc.* **95**, 3770-3778.
93. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.71 literat. 276
94. P. R. Hemmes, L. Oppenheimer, F. Jordan (1974), Ultrasonic relaxation evaluation of the thermodynamics of *syn-anti* glycosidic isomerization of adenosine. *J.Am.Chem.Soc.* **96**, 6023-6026.
95. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.71 literat. 278-280
96. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.5 *syn-anti* Conformation str.73 literat. 211
97. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.6 The *high anti* (-sc) Conformation str.73
98. C.H. Schwalbe, W. Saenger (1973), 6-Azauridine, a nucleoside with unusual ribose conformation. *J. Mol. Biol.* **75**, 129-143.
99. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 3.5 Spectroscopic Methods str. 48-49
100. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.8 The Orientation About the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 79 literat. 173, 313
101. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.8 The Orientation About the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 79 literat. 283
102. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.8 The Orientation About the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 79 literat. 315
103. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9 Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str.80 literat. 317-319
104. R. Taylor, O. Kennard (1982), Crystallographic evidence for the existence of C-H  $\cdots$  O, C-H  $\cdots$  N, and C-H  $\cdots$  Cl hydrogen bonds. *J.Am.Chem.Soc.* **104**, 5063-5070.
105. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9 Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 80 literat. 321, 322
106. M. P. Schweizer, S.I. Chan, G.H. Helmckamp, P. O. P. Ts'o (1964), An experimental assignment of proton magnetic resonance spectrum of purine. *J.Am.Chem.Soc.* **86**, 696-700.

- 
107. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9  
Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 80 literat. 268
108. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9  
Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 80 literat. 324
109. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9  
Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 80 literat. 325
110. W. Saenger (1984), Principles of Nucleic Acids Structure; Springer-Verlag New York Inc; Rozdział 4.9  
Factors Influencing the Orientation about the C<sub>4'</sub>-C<sub>5'</sub> Bond str. 80 literat. 326
111. T.F. Lai, R.E. Marsh; The crystal structure of adenosine. *Acta Crystallogr.* 1972, **B28**, 1982-1989
112. K. Shikata, T. Ueki, T. Mitsui; The crystal and molecular structure of adenosine hydrochloride. *Acta Crystallographica* 1973, **B29**, 31-38
113. A.E.V. Haschemeyer, H. M. Sobell; The crystal structure of a hydrogen bonded complex of adenosine and 5-bromouridine. *Acta Crystallogr.* 1965, **18**, 525-532
114. U. Thewalt, C.E. Bugg, R.E. Marsh; The crystal structure of guanosine dihydrate and inosine dihydrate. *Acta Crystallogr.* 1970; **B26**, 1089-1101
115. P. Tougard, J.F. Chantot; Structure Cristalline et Moléculaire d'une forme N(7)-protonée de la guanosine : le bromhydrate de guanosine hémihydrate. *Acta Crystallogr.* 1974, **B30**, 214-220
116. R.W. Gellert, R. Bau; The structure of the [platinum(ethylenediamine)(guanosine)<sup>2+</sup>] cation. *J.Am.Chem.Soc.* 1975, **97**(25), 7379-7380
117. E. A. Green, R.D. Rosenstein, R. Shiono, D. J. Abraham, B.L. Trus, R.E. Marsh; The crystal structure of uridine. *Acta Crystallogr.* 1975, **B31**, 102-107
118. S. Furberg, C.S. Petersen, C. Rømming; Refinement of crystal structure of cytidine. *Acta Crystallogr.* 1965, **18**, 313-320
119. D.L. Ward;  $\beta$ -Cytidine, C<sub>9</sub>H<sub>13</sub>N<sub>3</sub>O<sub>5</sub>. *Acta Crystallogr.* 1993, **C49**, 1789-1792
120. P.A. Mosset, J.J. Bonnet, J. Galy; Chlorure de Cytidinum. *Acta Crystallogr.* 1979, **B35**, 1908-1910
121. J.J. Guy, L.R. Nassimbeni, G.M. Sheldrick, R. Taylor; Cytidinum nitrate. *Acta Crystallogr.* 1976, **B32**, 2909-2911
122. M. Jaskólski; Structure of cytidinum dihydrogenophosphate. *Acta Crystallogr.* 1989, **C45**, 85-89
123. T. Hata, M. Yoshikawa, S. Sato, C. Tamura; 1:1 Cytidine-N-carbobenzoxyglutamic acid dihydrate. *Acta Crystallogr.* 1975, **B31**, 312-314
124. D.G. Watson, D.J. Sutor, P. Tollin; The crystal structure of deoxyadenosine monohydrate. *Acta Crystallogr.* 1965, **19**, 111-124
125. T. Sato; Structure of 2'-deoxyadenosine, C<sub>10</sub>H<sub>13</sub>N<sub>5</sub>O<sub>3</sub>. *Acta Crystallogr.* 1984, **C19**, 880-882
126. A.E.V. Haschemeyer, H. M. Sobell; The crystal structure of hydrogen bonded complex of deoxyguanosine and 5-bromodeoxycytidine. *Acta Crystallogr.* 1965, **19**, 125-130
127. D.W. Young, P. Tollin, H.R. Wilson; The crystal and molecular structure of thymidine. *Acta Crystallogr.* 1969, **B25**, 1423-1432
128. D.W. Young, H.R. Wilson; The crystal and molecular structure of 2'-deoxycytidine. *Acta Crystallogr.* 1975, **B31**, 961-965
129. M. Jaskólski; Structure of 2'-deoxycytidinum dihydrogenophosphate. *Acta Crystallogr.* 1991, **C47**, 153-156

- 
130. E. Subramian, D.J. Hunt; The crystal and absolute configuration of 2'-deoxycytidine hydrochloride. *Acta Crystallogr.* 1970, **B26**, 303-311
131. A. Rahman, H.R. Wilson; The crystal and molecular structure of deoxyuridine. *Acta Crystallogr.* 1972, **B28**, 2260-2270
132. G.I. Birnbaum, P. Lassota, D. Shugar; 8-Chloroguanosine: solid state and solution conformation and their biological implications. *Biochemistry* 1984, **23**, 5048-5053
133. S.S. Tavale, H.M. Sobell; Crystal and molecular structure of 8-bromoguanosine and 8-bromoadenosine, two purine nucleosides in the *syn* conformation. *J. Mol. Biol.* 1970, **48**, 109-123
134. G.I. Birnbaum, M. Cygler, I. Ekiel, D. Shugar; Structure and conformation of 8-bromo-9- $\beta$ -D-xylofuranosyladenine in the solid state and in solution. *J. Am. Chem. Soc.* 1982, **104**, 3957-3964
135. H. Sternglanz, J.H. Thomas, C.E. Bugg; Stacking patterns of halogenated purines: crystal structure of 8-bromoinosine. *Acta Crystallogr.* 1977, **B33**, 2097-2102
136. J. H. Al-Mukhtar, H.R. Wilson; 8-Iodoguanosine monohydrate. *Acta Crystallogr.* 1978; **B34**, 337-339
137. K. Hamada, I. Honda, S. Fujii, T. Fujiwara, K. Tomita; Structure of 8-methylguanosine trihydrate. *Acta Crystallogr.* 1985, **C41**, 1486-1488
138. M. Yasuniwa, R. Tokuoka, K. Ogawa, Y. Yamagata, S. Fujii, K.I. Tomita, W. Lin, M. Ikehara; The crystal and molecular structure of 8-methyladenosine 3'-monophosphate dihydrate. *Biochimica et Biophysica Acta* 1979, **561**, 240-247
139. J.V. Silverton, W. Limn, H.T. Miles; 2-Amino-8methyladenosine 5'-monophosphate dehydrate. A nucleotide with *syn* C4'-exo conformation and “triple-stranded” packing. *J. Am. Chem. Soc.* 1982, **104**, 1081-1087
140. N. Nagashima, K. Wakabayashi; The crystal and molecular structure of 2-ethylthio-8-methylinosine monohydrate. *Acta Crystallographica* 1974, **B30**, 1094-1099
141. G.I. Birnbaum, D. Shugar; A purine nucleoside unequivocally constrained in the *syn* form. Crystal structure and conformation of 8-( $\alpha$ -hydroxyisopropyl)-adenosine. *Biochimica et Biophysica Acta* 1978, **517**, 500-510
142. S. Belyakov, E. Alksnis, V. Muravenko, I. Turovskis, J. Popelis, E. Lukevics; Crystal structure and conformation of 8-(2-hydroxyethylamino) and 8-(pyrrolidin-1-yl) adenosines. *Nucleos. Nucleot. Nucl. Acids* 2005, **24**(8), 1199-1208
143. W.S. Sheldrick, E. Rieke; 8-[(2-aminoethyl)amino]adenosine cyclic 3',5'-monophosphate tetrahydrate. *Acta Crystallogr.* 1978, **B34**, 2324-2327
144. S. Neidle, M.R. Sanderson, A. Subbiah, J.B. Chattopadhyaya, R. Kuroda, C.B. Reese; 9- $\beta$ -D-Arabinofuranosyl-8-n-butylaminoadenosine, a C-8 substituted nucleoside in the *anti* conformation. Crystallographic and NMR studies. *Biochimica et Biophysica Acta* 1979, **565**, 379-386
145. V. Swaminathan, M. Sundaralingam, J.B. Chattopadhyaya, C.B. Reese; Structure of 9- $\beta$ -D-Arabinofuranosyl-8-morpholinoadenosine dihydrate. An arabinoside in the *syn* conformation. *Acta Crystallogr.* 1980, **B36**, 828-832
146. S.B. Larson, H.B. Cottam, R.K. Robins; Structure of 7-methyl-8-oxo-7,8-dihydroguanosine. *Acta Crystallogr.* 1989, **C45**, 1979-1983
147. H. Mizuno, K. Kitamura, A. Miyao, Y. Yamagata, A. Wakahara, K.I. Tomita, M. Ikehara; The structure of 8-thioxoadenosine monohydrate. *Acta Crystallogr.* 1980, **B36**, 902-905

148. S.B. Larson, E.M. Henry, G.D. Kini, R.K. Robins; Structure pf 7-methyl-8-thioxo-7,8-dihydroguanosine. *Acta Crystallogr.* 1990, **C46**, 506-508
149. S.B. Larson, G.D. Kini, R.K. Robins; Structure pf 7-methyl-6,8-dithioxo-7,8-dihydroguanosine. *Acta Crystallogr.* 1991, **C47**, 402-405
150. S.N. Bose, R.J.H. Davies, J.C. van Niekerk, D.W. Anderson, L.R. Nassimbeni; Synthesis, crystal structure, and spectroscopic properties of 8-(8-guanosyl)guanosine. *J. Chem. Soc. Perkin Trans. 2* 1979, 1194-1200
151. Y. Yamagata, K.I. Tomita; Structure of 1-methyladenosine trihydrate. *Acta Crystallogr.* 1987, **C43**, 2117-2120
152. T. Sato; Structure of N<sup>6</sup>-methyl-2'-deoxyadenosine. *Acta Crystallogr.* 1985, **C41**, 1624-1625
153. T. Takeda, Y. Ohashi, Y. Sasada; M. Kakudo; 6-Benzylamino-9-β-D-ribofuranosylpurine. *Acta Crystallogr.* 1976, **B32**, 614-616
154. A.K. Das, V. Bertolas; N-[1-phenyl-2(R)-propyl]-2-chloroadenosine. An activating agent of the adenosine A2 receptor. *Acta Crystallogr.* 1995, **C51**, 2408-2409
155. A.H.J. Wang, L.G. Dammann, J.R. Barrio, I.C. Paul; The crystal and molecular structure of a derivative of 1,N<sup>6</sup>-ethenoadenosine hydrochloride. Dimensions and molecular interactions of the fluorescent ε-adenosine (εAdo) system.. *J.Am.Chem.Soc.* 1974, **96**(4), 1205-1213
156. M. Jaskólski; 1,N<sup>6</sup>-Ethenoadenosine. *Acta Crystallogr.* 1982, **B38**, 3171-3174
157. R.A.G. de Graaf, F.B. Martens, C. Romers; Nucleic acid constituents. IX. The crystal and molecular structure of 2-N-methylguanosine monohydrate. *Acta Crystallogr.* 1978, **B34**, 3012-3015
158. T. Brennan, C. Weeks, E. Shefter, S.T. Rao, M. Sundaralingam; Stereochemistry of nucleic acid and their constituent. XXVIII. The crystal and molecular structure of N<sup>2</sup>-dimethylguanosine. A transfer ribonucleic acid rare nucleoside located at the junction of the anticodon and dihydrouridine arms. *J.Am.Chem.Soc.* 1972, **94**(24), 8548-8553
159. U. Thewalt, C.E. Bugg; Effect of sulfur substituent on base stacking and hydrogen bonding. The crystal structure of 6-thioguanosine monohydrate. *J.Am.Chem.Soc.* 1972, **94**(25), 8892-8898
160. S.B. Larson, N.B. Hanna, G.R. Revankar, R.K. Robins; Structure of sulfonoinosine. *Acta Crystallogr.* 1990, **C46**, 512-515
161. G.L. Gartland, C.E. Bugg; The crystal structure of 2'-deoxy-6-thioguanosine monohydrate. *Acta Crystallogr.* 1977, **B33**, 3678-3681
162. A.R.I. Munns, P. Tollin; The crystal and molecular structure of inosine. *Acta Crystallogr.* 1970, **B26**, 1101-1113
163. S. Kumar, V.D. Patil, S.R. Wilson, N.L. Leonard; Structure of 3-isoinosine. *Acta Crystallogr.* 1989, **C45**, 1394-1397
164. B.L. Partridge, C.E. Pritchard; Two methylated ribonucleosides: 3-methyluridine and 1-methylinosine. *Acta Crystallogr.* 1995, **C51**, 1929-1932
165. E. Shefter; Crystal and molecular structure of 6-thiopurine riboside. *Journal of Pharmaceutical Sciences* 1968, **57**(7), 1157-1162
166. C. Rømming, E. Sagstuen; The crystal and molecular structure of 6-mercaptopurine riboside monohydrate. *Acta Chemica Scandinavica.* 1976, **B30**, 716-720
167. Y.-C. Liaw, A.H.-J. Wang, G.-S. Lin, J.-W. Chern; 3-β-D-Ribofuranosyl-6,7-dihydro-9H-thiazolo[3,2-a]purin-9-one hydrate. *Acta Crystallogr.* 1994, **C50**, 734-736

168. G. Koyama, H. Nakamura, H. Umezawa, Y. Itaka; Xanthosine dihydrate. *Acta Crystallogr.* 1976, **B32**, 969-972
169. H. Sternglanz, C.E. Bugg; Stacking patterns of halogenated purines: crystal structure of 6-chloropurine riboside. *Acta Crystallogr.* 1975, **B31**, 2888-2891
170. T. Takeda, Y. Ohashi, Y. Sasada, M. Kakudo; 6-Methyl-9- $\beta$ -D-ribofuranosylpurine. *Acta Crystallogr.* 1975, **B31**, 1202-1204
171. T. Takeda, Y. Ohashi, Y. Sasada; Nebularine, 9- $\beta$ -D-ribofuranosylpurine. *Acta Crystallogr.* 1974, **B30**, 825-827
172. F. Seela, K.I. Shaikh, H. Eickmeier; 7-Deaza-2'-deoxyguanosine. *Acta Crystallogr.* 2005, **C61**, o151-o153
173. F. Seela, K.I. Shaikh, H. Eickmeier; 7-Deaza-2'-deoxy7-propynylguanosine. *Acta Crystallogr.* 2004, **C60**, o489-o491
174. F. Seela, K. Xu, H. Eickmeier; 2'-Deoxy-5-fluorotubercidin. *Acta Crystallogr.* 2005, **C61**, o408-o410
175. F. Seela, C. Wei, H. Reuter, G. Kastner; 7-Deaza-2'-deoxyguanosine adopts the forms of an N1—H,2-keto tautomer. *Acta Crystallogr.* 1999, **C55**, 1335-1337
176. J. Abola, M. Sundaralingam; Refinement of the crystal structure of tubercidin. *Acta Crystallogr.* 1973, **B29**, 697-703
177. V. Zabel, W. Saenger; Structures of 2'-deoxytubercidin (I) and 2'-deoxytubercidin dehydrate (II). *Acta Crystallogr.* 1987, **C29**, 131-134
178. P. Prusiner, M. Sundaralingam; The crystal and molecular structures of toyocamycin monohydrate a nucleoside antibiotic. *Acta Crystallogr.* 1978, **B34**, 517-523
179. W. Lin, K. Xu, H. Eickmeier, F. Seela; 8-aza-7-deaza-7-propynyladenosine methanol solvate. . *Acta Crystallogr.* 2005, **C61**, o195-o197
180. S. Sprang, R. Scheller, D. Rohrer, M. Sundaralingam; Conformational analysis of azanucleosides. Crystal and molecular structure of 8-azatubercidin monohydrate, anucleoside analogue exhibiting the „high-anti“ conformation. *J.Am.Chem.Soc.* 1978, **100**(9), 2867-2872
181. F. Seela, M. Zulauf, H. Reuter, G. Kastner; The anomers of 8-aza-7-deaza-2'-deoxy adenosine. *Acta Crystallogr.* 1999, **C55**, 1947-1950
182. F. Seela, M. Zulauf, H. Reuter, G. Kastner; 7-Iodo-8-aza-7-deaza-2'-deoxyadenosine and 7-bromo-8-aza-7-deaza-2'-deoxyadenosine. . *Acta Crystallogr.* 2000, **C56**, 489-491
183. F. Seela, Y. Zhang, K. Xu, H. Eickmeier; 7-Vinyl-8-aza-7-deaza-2'-deoxyadenosine monohydrate. *Acta Crystallogr.* 2005, **C61**, o60-o62
184. F. Seela, V.R. Sirivolu, J. He, H. Eickmeier; 3-Bromo-1-(2-deoxy- $\beta$ -D-erythro-pentofuranosyl)-1H-pyrazolo[3,4-d]-pyrimidine-4,6-diamine: a nucleoside which strongly enhances DNA duplex stability. *Acta Crystallogr.* 2005, **C61**, o67-o69
185. F. Seela, G. Becher, H. Rosemeyer, H. Reuter, G. Kastner, I.A. Mikhailopulo; The *high-anti* conformation of 7-halogenated 8-aza-7-deaza-2'-deoxyguanosine: a study of the influence of modified bases on the sugar structure of nucleosides. *Helvetica Chimica Acta* 1999, **82**, 105-124
186. J. He, F. Seela, H. Eickmeier, H. Reuter; The regiosomeric 1H(2H)-pyrazolo[3,4-d]-pyrimidine N<sup>1</sup>- and N<sup>2</sup>-(2'deoxy- $\beta$ -D-ribofuranosides). *Acta Crystallogr.* 2002, **C58**, o593-o595
187. P. Prusiner, T. Brennan, M. Sundaralingam; Crystal structure and molecular conformation of formycin monohydrates. Possible origin of anomalous circular dichroic spectra in formycin mono- and polynucleotides. *Biochemistry* 1973, **12**(6), 1196-1202

188. G. Koyama, H. Umezawa, Y. Itaka; The crystal structure of formycin hydrobromide monohydrate. *Acta Crystallogr.* 1974, **B30**, 1511-1516
189. P. Singh, D.J. Hodgson; The solid-state conformation and structure of formycin B hydrochloride. *Acta Crystallographica* 1977, **B33**, 3189-3194
190. G. Koyama, H. Nakamura, H. Umezawa, Y. Itaka; The crystal and molecular structures of oxoformycin B and formycin B. *Acta Crystallogr.* 1976, **B32**, 813-820
191. J.E. Abola, M.J. Sims, D.J. Abraham, A.F. Lewis, L.B. Townsend; Molecular structure and conformation of the nucleoside antibiotic derivative 2-methylformycin with a C-glycosidic bond. *J. Med. Chem.* 1974, **17**(1), 62-65
192. P. Singh, D.J. Hodgson; 8-Azaadenosine. Crystal structure of its monohydrate and conformational analysis for rotaion around glycosyl bond. *J.Am.Chem.Soc.* 1977, **99**(14), 4807-4815
193. P. Singh, D. Hodgson; Structure of 8-azadenosine hydrochloride. *Acta Crystallogr.* 1989, **C45**, 1586-1589
194. W. Lin, F. Seela, H. Eickmeier, H. Reuter; 1,N<sup>6</sup>-etheno derivative of 7-deaza-2,8,diazaadenosine. *Acta Crystallogr.* 2004, **C60**, o566-o568
195. S. Larson, Y. Kang, G.R. Revankar, R.K. Robins; Structure of 8-amino-3-β-D-ribofuranosyl-1,2,4-triazolo[4,3-b]pyridazine, ana analog of Formycin A. *Acta Crystallogr.* 1989, **C45**, 1093-1095
196. B. Kojić-Prodić, Z. Ružić-Toroš, J. Kobe; Structures of two N-bridgehead C-nucleosides:5,7-dimethyl-3-β-D-ribofuranosyl-[1,2,4]-triazolo[4,3-a]pyrimidine, C<sub>12</sub>H<sub>16</sub>N<sub>4</sub>O<sub>4</sub> (I) ,and 5,7-dimethyl-2-β-D-ribofuranosyl-[1,2,4]-triazolo[1,5-a]pyrimidine-methanol, C<sub>12</sub>H<sub>16</sub>N<sub>4</sub>O<sub>4</sub> CH<sub>4</sub>O(II). *Acta Crystallogr.* 1989, **C39**, 1248-1253
197. S.B. Larson, Y.S. Sanghvi, G.R. Revankar, R.K. Robins; Structures of four pyrazolo[3,4-b]pyridine nucleosides. *Acta Crystallogr.* 1990, **C46**, 791-797
198. A. Ducruix, C. Riche, C. Pascard; X-Ray determination of the molecular structure of an analogue of tubercidin: deaza-1-isotubercidin. *Acta Crystallogr.* 1976, **B32**, 2467-2471
199. F. Seela, Y. He, H. Reuter, E.-M. Heithoff; The *high-anti* conformation of 8 conformation of 8-aza-1,3-dideaza-2'-deoxyadenosine. *Acta Crystallogr.* 2001, **C57**, 660-662
200. F. Seela, X. Peng, H. Eickmeier, H. Reuter; Regiosomeric 4-nitroindazole N<sup>1</sup>- and N<sup>2</sup>-(β-D-ribonucleosides). *Acta Crystallogr.* 2004, **C60**, o94-o97
201. F. Seela, A.M. Jawalekar, H. Eickmeier; 1-(2-Deoxy-β-D-erythro-pentofuranosyl)-4-nitro-1H-indazole. *Acta Crystallogr.* 2004, **C60**, o387-o389
202. P. Singh, J. May, L.B. Townsend, D.J. Hodgson; Conformational barriers in nucleoside analogs: the crystal strucutre of 3-deazadenosine. *J.Am.Chem.Soc.* 1976, **98**(3), 825-830
203. S. Sprang, M. Sundaralingam; Crystal structure of 2-chloro-1-(β-D-ribofuranosyl) benzimidazole. Hydrogen bonding to the furanose ring oxygen. *Acta Crystallogr.* 1973, **B29**, 1910-1916
204. P. Prusiner, M. Sundaralingam; Crystal and molecular structure of 2-thio-1-(β-D-ribofuranosyl)-3H-benzimidazole. *Acta Crystallogr.* 1973, **B29**, 2328-2334
205. D.J. Hunt, E. Subramanian; The crystal structure of 5-methyluridine. *Acta Crystallogr.* 1969, **B25**, 2144-2152
206. E. Egert, H. J. Lindner, W. Hillen, H. G. Gassen; Crystal structure and conformation of 5-aminouridine. *Acta Crystallogr.* 1978; **B34**, 2204-2208
207. S. D. Soni, T. Srikrishnan; Crystal structure and conformation of 5-fluorouridine: conformational preferences for 5-fluorinated pyranosides. *Nucleosides, Nucleotides & Nucleic Acids* 2004, **23**(11), 1779-1795

208. S.W. Hawkinson, C.L. Coulter; The crystal and molecular structure of 5-chlorouridine. *Acta Crystallogr.* 1971, **B27**, 34-42
209. C.L. Coulter, S.W. Hawkinson; Base pairing in 5-chlorouridine. *Proceedings of National Academy of Sciences U.S.A* 1969, **63**, 1359-1364
210. J. Iball, C.H. Morgan, H.R. Wilson; The crystal and molecular structure of 5-bromo-2'-deoxyuridine and 5-bromouridine. *Proceedings of Royal Society* 1966, **295A**, 320-333
211. J. Iball, C.H. Morgan, H.R. Wilson; The crystal and molecular structure of a 1:1 complex 5-bromouridine. *Proceedings of Royal Society* 1968, **302A**, 225-236
212. a: P. Tougaard; Crystal and molecular structure of 1- $\beta$ -D-arabinofuranosyl-5-bromouracil: an unusual sugar conformation. *Biochimica et Biophysica Acta* 1973, **319**, 116-121; b: P. Tougaard; Conformation of 5-bromo-uracil-arabinofuranoside. *Biochemical and Biophysical Research Communications*; 1969, **37**(6), 961-964
213. A. Rahman, H.R. Wilson; The crystal and molecular structure of 5-iodouridine. *Acta Crystallogr.* 1970, **B26**, 1765-1775
214. E. Egert, H.J. Lindner, W. Hillen, H.G. Gassen; 5-Nitouridine monohydrate: crystal structure and conformation. *Nucleic Acids Research* 1977, **4**(4), 929-937
215. H.M. Berman, D. Marcu, P. Narayanan; Modified bases in tRNA: the structure of 5-carbamoylmethyl- and 5-carboxymethyl uridine. *Nucleic Acids Research* 1978, **5**(3), 893-903
216. U. Thewalt, C.E. Bugg ; The crystal structure of 5-hydroxyuridine. *Acta Crystallogr.* 1973, **B29**, 1393-1398
217. K. Morikawa, K. Torii, Y. Itaka, M. Tsuboi; Uridine-5-oxyacetic acid methyl ester monohydrate. *Acta Crystallogr.* 1975, **B31**, 1004-1007
218. P. Narayanan, H.M. Berman; Model compounds for protein nucleic acid interaction IV. Crystal structure of a nucleoside peptide with anti-viral properties: 5-[N-(L-leucyl)amino] uridine. *Acta Crystallogr.* 1977, **B33**, 2047-2051
219. H.M. Berman, W.C. Hamilton, R.J. Rousseau; Crystal structure of an antiviral agent 5-[N-(L-phenylalanyl)amino]uridine. *Biochemistry* 1973, **12**(9), 1809-1814
220. S.D. Soni, T. Srikrishnan, J.L. Alderfer; Halogenated nucleic acids: structure and conformational studies of 5-fluorocytidine by x-ray crystallography and NMR spectroscopy. *Nucleosides, Nucleotides & Nucleic Acids* 1996, **15**, 1945-1958
221. M.M. Radwan, H.R. Wilson; 5-Iodocytidine. *Acta Crystallogr.* 1979, **B35**, 3072-3074
222. N. Padmaja, S. Ramakumar, S. Visvamitra; Structure of 5-methylcytidine. *Acta Crystallogr.* 1991, **C47**, 1445-1448
223. I. Basnak, M. Sun, T.A. Hamor, N. Spencer, R.T. Walker; The structure of 5-cyclohexyl-2'-deoxyuridine as studied by X-ray crystallography and NMR spectroscopy. *Nucleosides & Nucleotides* 1996, **15**(7&8), 1275-1285
224. M. Czugler, A. Kálmán, J.T. Sági, A. Szabolcs, L. Ötvös; Crystal and molecular structure of  $\beta$ -5-isopropyl-2'-deoxyuridine. *Acta Crystallogr.* 1979; **B35**, 1626-1629
225. D.R. Harris, W.M. MacIntyre; The crystal and molecular structure of 5-fluoro-2'-deoxy- $\beta$ -uridine. *Biophysical Journal* 1964, **4**, 203-225
226. A. Jarmula, R. Anulewicz, A. Les, M.K. Cyrański, L. Adamowicz, M. Bretner, K. Felczak, T. Kulikowski, T.M. Krygowski, W. Rode; Crystal structures of 5-fluoro-durd and its 2 and/or 4-thi analogues: models of

- substituted dUMP pirimidine ring interacting with thymidilate synthase. *Biochim. Biophys. Acta*, 1998, **1382**, 277-286
227. D.W. Young, E.M. Morris; The crystal and molecular structure of 5-chloro-2'-deoxyuridine. *Acta Crystallogr.* 1973, **B29**, 1259-1264
228. N. Camerman, J. Trotter; The crystal and molecular structure of 5-iodo-2'-deoxyuridine. *Acta Crystallogr.* 1965, **18**, 203-211
229. P.H. Toma, J.M.D.R. Toma, D.E. Bergstrom; Structure of 5-chloromercurio-2'-deoxyuridine. *Acta Crystallogr.* 1993, **C49**, 2047-2049
230. J.N. Low, P. Tollin, A. Howe; Structure of 5-(trifluoromethyl)-2'-deoxyuridine. *Acta Crystallogr.* 1989, **C45**, 99-101
231. T.A. Hamor, M.K. O'Leary, R.T. Walker; Antiviral nucleic acid derivatives. II. Crystal structure of 5-vinyl-2'-deoxyuridine. *Acta Crystallogr.* 1978, **B34**, 1627-1630
232. P.J. Barr, T.A. Hamor, R.T. Walker; 1978, Antiviral nucleic acid derivatives. II. Crystal structure of 5-ethynyl-2'-deoxyuridine. *Acta Crystallogr.* **B34**, 2799-2802
233. G.I. Birnbaum, R. Deslauriers, T.S. Lin, G.T. Shiao, W.H. Prusoff; A novel intramolecular hydrogen bond in the crystal structure of 5-hydroxymethyl-2'-deoxyuridine, an antiviral and antineoplastic nucleoside. Conformational analysis of the deoxyribose ring. *J.Am.Chem.Soc.* 1980, **102**(12), 4236-4241
234. G. Mazumdar, M. De, A. Mukhopadhyay, S.K. Mazumdar, N. Mazumder, A.K. Das, E.E. Knaus; Ethyl 3-(2'-deoxyuridin-5-yl)-3-hydroxy-2-iodopropanoate, a nucleoside analogue. *Acta Crystallogr.* **C56**, 494-495
235. F.Seela, Y. He, H. Reuter, E.-M. Heithoff; 2'-Deoxy-5-methylisocytidine. *Acta Crystallogr.* 2000, **C56**, 989-991
236. F. Ghassy, J.N. Low, H.R. Wilson ; 5-Iodo-2'-deoxycytidine. *Acta Crystallogr.* 1981, **B37**, 1921-1923
237. T. Sato; Structure of 5-methyl-2'-deoxycytidine. *Acta Crystallogr.* 1981, **C44**, 870-872
238. G.F. Audette, S.V.P. Kumar, S.V. Gupta, J.W. Quail; N<sup>4</sup>,5-Dimethyl-2'-deoxycytidine. *Acta Crystallogr.* 1998, **C54**, 1987-1990
239. Z. Jia, G. Tourigny, A.L. Stuart, L.T.J. Delbaere, S.V. Gupta; Structure and conformation of 5-methoxymethyl-N<sup>4</sup>-methyl-2'-deoxycytidine. *Acta Crystallogr.* 1990, **C46**, 2182-2185
240. G.F. Audette, W.M. Zoghaib, S.V. Gupta, J.W. Quail, L.T.J. Delbaere; N,N-Dimethyl-5-methoxymethyl-2'deoxycytidine. *Acta Crystallogr.* 1999, **C55**, 427-430
241. E. Shefter, M.P. Kotick, T.J. Bardos; Crystal and molecular structure of 5-[1-(2'-deoxy- $\alpha$ -D-ribofuranosyl)uracilyl] disulfide *Journal of Pharmaceutical Sciences* 1967, **56**(10), 1293-1299
242. D. Suck, W. Saenger; Molecular and crystal structure of 6-methyluridine. A pyrimidine nucleoside in the syn conformation. *J.Am.Chem.Soc.* 1972, **94**(18), 6520-6526
243. G.I. Birnbaum, F.E. Hruska, W.P. Niemczura; A pyrimidine nucleoside constrained in the syn form. Structure and conformation of 6-methyl-2'-deoxy-uridine. *J.Am.Chem.Soc.* 1980, **102**, 5586-5590
244. K.B. Birnbaum, D. Shugar, K. Felczak; 1-( $\beta$ -D-Ribofuranosyl)-6-propylcytosine. *Acta Crystallogr.* 1998, **C54**, 1959-1961
245. M. Jaskólski, M. Alejska; Structure of 3-methylcytidinium chloride, C<sub>10</sub>H<sub>16</sub>N<sub>3</sub>O<sub>5</sub><sup>+</sup>Cl<sup>-</sup>. *Acta Crystallogr.* 1985, **C41**, 599-602
246. Q. Gao, A. Sood, B.R. Shaw, L.D. Williams; 2'-Deoxycytidine-N3-cyanoborane. *Acta Crystallogr.* 1996, **C52**, 1823-1825

247. P. Singh, M. Zottola, S. Huang, B.R. Shaw, L.G. Pedersen; 2'-Deoxycytidine-N(3)-cyanoborane monohydrate. *Acta Crystallogr.* 1996, **C52**, 693-696
248. S. Kolappan, T.P. Seshadri; N4-Anisoyl cytidine dihydrate. *Acta Crystallogr.* 1999, **C55**, 391-392
249. W. Saenger, G. Ritzmann, W. Pfleiderer; The molecular structure of 6,7-dimethylumazine-*N*-1- $\beta$ -D-ribofuranoside, a uridine derivative in the *syn*- conformation. *European Journal of Biochemistry* 1972, **29**, 440-443
250. W. Saenger, G. Ritzmann, W. Pfleiderer; The structure of a uridine derivative in the *syn*- conformation: 6,7-dimethyl-*N*-1- $\beta$ -D-ribofuranosyllumazine. *Acta Crystallogr.* 1977, **B33**, 2989-2993
251. M.Gilski, E. Bartoszak, M. Jaskólski; Structure of 3,N<sup>4</sup>-ethenocytidinum dihydrogenophosphate. *Acta Crystallogr.* 1991, **C47**, 1460-1463
252. A.H.J. Wang, J.R. Barrio, I.C. Paul; Crystal and molecular structure of 3,N<sup>4</sup>-ethenocytidine hydrochloride. A study of the dimension and molecular interactions of the fluorescent  $\epsilon$ -cytidine system. *J.Am.Chem.Soc.* 1976, **98**(23), 7401-7408
253. G.F. Audette, W.M. Zoghaib, G. Tourigny, S.V. Gupta, J.W. Quail, L.T.J. Delbaere; 3,4-Etheno-5-methoxymethyl-2'-deoxycytidine. *Acta Crystallogr.* 1997, **C53**, 1099-1101
254. S.W. Hawkinson; The crystal and molecular structure of 2-thiouridine. *Acta Crystallogr.* 1977; **B33**, 80-85
255. W. Saenger, K. H. Scheit; A pyrimidine nucleoside in the *syn* conformation: molecular and crystal structure of thiouridine hydrate. *Journal of Molecular Biology* 1970, **50**, 153-169
256. G.H. Lin, M. Sundaralingam; Stereochemistry of nucleic acids and their constituents. XIV. Crystal and molecular structure of 2,4-dithiouridine monohydrate. *Acta Crystallogr.* 1971, **B27**, 961-969
257. W. Saenger, D. Suck; Kristall- und Molekülstruktur von 2,4-Dithiouridin-monohydrat. *Acta Crystallogr.* 1971, **B27**, 1178-1186
258. W. Hillen, E. Egert, H.J. Lindner, H.G. Gasssen; Crystal and molecular structure of 2-thio-5-carboxymethyluridine and its methyl ester: helix terminator nucleosides in the first position of some anticodons. *Biochemistry* 1978, **17**(24), 5314-5320
259. E. Egert, H.J. Lindner, W. Hillen, H.G. Gassen, H. Vorbrüggen; Crystal structure and conformation of 2-thio-5-methylaminomethyluridine dihydrate. *Acta Crystallogr.* 1979, **B35**, 122-125
260. G.H.Y. Lin, M. Sundaralingam, S.K. Arora; Stereochemistry of nucleic acids and their constituents. XV. Crystal and molecular structure of 2-thiocytidine dihydrate, a minor constituent of transfer ribonucleic acid. *J.Am.Chem.Soc.* 1971, **93**(5), 1235-1241
261. E. Shefter, T.I. Kalman; The molecular structure of the disulfide of the t-RNA constituent, 4-thiouridine. *Biochemical and Biophysical Research Communications* 1968, **32**(5), 878-883
262. W. Saenger; D. Suck; 6-Azauridine-5'phosphoric acid: unusual molecular structure and functional mechanism. *Nature* 1973, **242**, 610-612
263. P. Singh, D.J. Hodgson; High-anti conformation of *o*-azanucleosides. The crystal and molecular structure of 6-azacytidine. *Biochemistry* 1974-4, **13**(26), 5445-5452
264. A. Banerjee, W. Saenger; Molecular and crystal structure of 6-azathymidine: similarities with azaribonucleosides. *Acta Crystallogr.* 1978, **B34**, 1294-1298
265. I. Basnak, M. Sun, T.A. Hamor, F. Focher, A. Verri, S. Spadari, B. Wróblowski, P. Herdewijn, R.T. Walker; Some 6-aza-5-substituted-2'-deoxyuridines show potent and selective inhibition of herpes simplex virus type 1 thymidine kinase *Nucleosides & Nucleotides* 1998, **17**(1-3), 187-206

266. F. Seela, Y. He, H. Eickmeier; 5-Methyl-6-aza-2'-deoxyisocytidine. *Acta Crystallogr.* 2003, **C59**, o194-o196
267. A. Hempel, B.G. Lane, N. Camerman; Pseudouridine; *Acta Crystallogr.* 1997, **C53**, 1707-1709
268. C.L. Barnes, S.W. Hawkinson; the structure of 4-thiopseudouridine. *Acta Crystallogr.* 1980, **B36**, 2299-2303
269. G.I. Birnbaum, K.A. Watanabe, J.J. Fox; Structure and conformation of the hydrochloride of pseudoisicyidine, an antileukemic C-nucleoside. *Canadian Journal of Chemistry* 1980, **58**, 1633-1638
270. B.J. Graves, D.J. Hodgson; Pyridazine nucleosides. The structure and conformational analysis of 5-hydroxy-2-(1-β-D-ribofuranosyl)-3(2H)-pyridazinone. *Acta Crystallogr.* 1981, **B37**, 1576-1584
271. C.H. Schwalbe, W. Saenger; 3-Deazauridine: crystal structure, conformational parameters and molecular orbital calculations. *Acta Crystallogr.* 1973, **B29**, 61-69
272. E. Egert, H.J. Lindner, W. Hillen, H.G. Gassen; Crystal structure and conformation of 3-deaza-4-deoxyuridine. *Acta Crystallogr.* 1977, **B33**, 3704-3707
273. W.L.B. Hutcheon, M.N.G. James; The crystal structure of 3-deazacytidine. *Acta Crystallogr.* 1977, **B33**, 2224-2228
274. D. Suck, W. Saenger, K. Zechmeister; Molecular and crystal structure of the tRNA minor constituent dihydrouridine. *Acta Crystallogr.* 1972, **B28**, 596-605
275. M. Sundaralingam, S.T. Rao, J. Abola; Stereochemistry of nucleic acids and their constituents. Crystal and molecular structure of dihydrouridine "hemihydrate", a rare nucleoside with a saturated base occurring in the dihydrouridine loop transfer ribonucleic acids. *J.Am.Chem.Soc.* 1971, **93**(25), 7055-7062
276. B. Kojić-Prodić, R. Liminga, M. Šljukić Ž. Ružić-Toroš; Molecular and crystal structure of 5,6-dihydro-2-thiouridine,  $C_9H_{14}N_2O_5S$ . *Acta Crystallogr.* 1974, **B30**, 1550-1555
277. B. Kojić-Prodić, Å. Kvick, Ž. Ružić-Toroš; The molecular and crystal structure of 5,6-dihydro-2,4-dithiouridine,  $C_9H_{14}N_2O_4S_2$ . *Acta Crystallogr.* 1976, **B32**, 1090-1095
278. B. Kojić-Prodić, Ž. Ružić-Toroš, E. Coffou; The crystal and molecular structure of 5,6-dihydroisocytidine monohydrate,  $C_9H_{15}N_3O_5 \cdot H_2O$ . *Acta Crystallogr.* 1976, **B32**, 1103-1108
279. J. Konnert, I.L. Karle, J. Karle; The structure of dihydrothymidine. *Acta Crystallogr.* 1970, **B26**, 770-778
280. A. Grand, J. Cadet; Crystal and molecular structure of (–)-(5*S*)5-hydroxy-5,6-dihydrothymidine. *Acta Crystallogr.* 1978, **B34**, 1524-1528
281. G. Bernardinelli, R. Benhamza, J.M.J. Tronchet; Structures of 5-bromo-6-ethoxy-5,6-dihhydrouridine and -thymidine derivatives, a class of potential antitumoral and antiviral N-nucleosides. *Acta Crystallogr.* 1989, **C45**, 1917-1921
282. M.N.G. James, M. Matsushima; The molecular and crystal structure of *N*-(β-D-ribofuranosyl)imidazole. *Acta Crystallogr.* 1973, **B29**, 838-846
283. S.B. Larson, H.B. Cottam, R.K. Robins; Structure of an imidazoline ribonucleoside. *Acta Crystallogr.* 1988, **C44**, 942-944
284. P. Prusiner, M. Sundaralingam; The crystal and molecular structures of two polymorphic crystalline forms of virazole (1-β-D-ribofuranosyl-1,2,4-triazole-3-carboxamide). A new synthetic broad spectrum antiviral agent. *Acta Crystallogr.* 1976, **B32**, 419-426
285. S.B. Larson, G.D. Kini, R.K. Robins; Structure of 5' O-sulfamoylribavirin, an antiparasitic agent. *Acta Crystallogr.* 1990, **C46**, 1135-1138

286. S.B. Larson, E.M. Henry, G.D. Kini, R.K. Robins; Structure of 1-(5-O-sulfamoyl- $\beta$ -D-ribofuranosyl)-1H-1,2,4-triazole-3-thiocarboxamide. *Acta Crystallogr.* 1990, **C46**, 1138-1141
287. B. Larson, G.D. Kini, R.K. Robins; Structure of 1-(5-O-sulfamoyl- $\beta$ -D-ribofuranosyl)-1H-1,2,4-triazole-3-carbonitrile. *Acta Crystallogr.* 1990, **C46**, 1141-1143
288. Y. Tsukuda, H. Koyama; Crystal and molecular structure of showdomycin. *Journal of Chemical Society B* 1970, 1709-1712
289. P. Narayanan, H.M. Berman; A crystallographic determination of a chemical structure: 6-amino-10-( $\beta$ -D-ribofuranosyloamino)pyrimido[5,4-*d*]pyrimidine, an example of an unusual D-ribose conformation. *Carbohydrate Research* 1975, **44**, 169-180
290. H. Nakamura, G. Koyama, H. Umezawa, Y. Itaka; The crystal and molecular structures of coformycin. *Acta Crystallogr.* 1976, **B32**, 1206-1212
291. P. Prusiner, M. Sundaralingam; Molecular and crystal structure of the modified nucleoside 2'-O-methyladenosine. A novel 2'-exo-3'-endo ( $2T^3$ ) sugar pucker. *Acta Crystallogr.* 1976, **B32**, 161-169
292. F. Seela, H. Debelak, H. Reuter, G. Kastner, I.A. Mikhailopulo; 1-Deaza-3'-O-methyladenosine: a nucleoside in the *syn*-conformation in the solid state and in solution. *Nucleosides & Nucleotides* 1998, **17**(4), 729-744
293. A: B. Hingerty, P.J. Bond, R. Langridge, F. Rottman; The crystal and molecular structure of 2'-O-methylcytidine. *Acta Crystallogr.* 1977, **B33**, 1349-1356; b: B. Hingerty, P.J. Bond, R. Langridge, F. Rottman; Conformation of 2'-O-methyl cytidine, a modified furanose component of ribonucleic acids. *Biophysical and Biochemical Research Communications* 1974, **61**(3), 875-881
294. O. Kennard, W.D.S. Motherwell, J.C. Coppola, B.E. Griffin, C.B. Reese, A.C. Larson; X-Ray crystal structure determination of the more laevorotatory diastereoisomer of 2'-O-tetrahydropyranyladenosine. Correlation of physical properties of tetrahydropyranyl ethers with absolute configuration.; *Journal of Chemical Society B* 1971, 1940-1946
295. P.H. Stothart, I.D. Brown, T. Neilson; The crystal structure of dextrorotatory 2'-O-tetrahydropyranyluridine. *Acta Crystallogr.* 1973, **B29**, 2237-2242
296. D. Prahadeeswaran, T.P. Seshadri; 2'-O-Tosyladenosine. *Acta Crystallogr.* 1999, **C55**, 606-608
297. D. Prahadeeswaran, T.P. Seshadri; 5'-O-(Toluenesulfonyl)adenosine. *Acta Crystallogr.* 1999, **C55**, 389-391
298. C.L. Barnes, S.W. Hawkinson; Structure of adenosine 5'-methylphosphonate hemihydrate. *Acta Crystallogr.* 1979, **B35**, 1724-1727
299. S.K. Burley, A.H.-J. Wang; Structure of N-benzoyl-5'-O-*tert*-butyldimethylsilyl-2'-deoxyadenosine monohydrate. *Acta Crystallogr.* 1987 **C43**, 988-990
300. M.A. Capron, W.L. McEldoon, N.C. Baenziger, D.F. Wiemer; Structure of a modified nucleoside, 3' $\alpha$ -diethylphoshono-3' $\beta$ -hydroxy-5'-O-tritylthymidine. *Acta Crystallogr.* 1994, **C50**, 291-294
301. J.N. Low, P. Tollin, C.C. Wilson; Structure of 2',3',5'-tri-O-acetylguanosine (orthorhombic form). *Acta Crystallogr.* 1986, **C42**, 700-703
302. C.C. Wilson, J.N. Low, P. Tollin; Structure of 2', 3', 5'-tri-O-acetylguanosine,  $C_{16}H_{19}N_5O_8$ . *Acta Crystallogr.* 1985, **C41**, 1123-1125
303. P. Tollin, J.N. Low, R.A. Howie; Structure of 2', 3', 5'-tri-O-acetyl-8-bromoguanosine. *Acta Crystallogr.* 1988, **C44**, 185-187

304. S. Neidle, A. Achari, G.M. Sheldrick, C.B. Reese, P.K. Bridson; The crystal and molecular structure of 2',3',5'-tri-O-acetyl-6-O-(mesitylenesulphonyl)guanosine. *Acta Crystallogr.* 1978, **B34**, 2794-2798
305. C.C. Wilson, P. Tollin, R.A. Howie; Structure of 2', 3', 5'-tri-O-acetyladenosine. *Acta Crystallogr.* 1986, **C42**, 697-700
306. J.N. Low, C.C. Wilson; Structure of 2', 3', 5'-tri-O-acetyluridine, C<sub>15</sub>H<sub>18</sub>N<sub>2</sub>O<sub>9</sub>. *Acta Crystallogr.* 1984, **C40**, 1030-1032
307. R.A.G. De Graaff, G. Admiraal, E.H. Koen, C. Romers; Nucleic acid constituents. VI. The crystal and molecular structure of 3',5'-di-O-acetyluridine at -170°C. *Acta Crystallogr.* 1977, **B33**, 2459-2464
308. J.N. Low, R.A. Howie; Structure of 3', 5'-di-O-acetyl-2'-deoxyadenosine. *Acta Crystallogr.* 1988, **C44**, 2202-2204
309. C.C. Wilson, J.N. Low, P. Tollin, H.R. Wilson; Structure of 3', 5'-di-O-acetylthymidine, C<sub>14</sub>H<sub>18</sub>N<sub>2</sub>O<sub>7</sub>. *Acta Crystallogr.* 1984, **C40**, 1712-1715
310. J.N. Low; Structure of 3', 5'-di-O-acetyl-5-bromo-2'-deoxyuridine, C<sub>13</sub>H<sub>15</sub>BrN<sub>2</sub>O<sub>7</sub>. *Acta Crystallogr.* 1983, **C39**, 796-798
311. C.C. Wilson, J.N. Low, D.W. Young; 3', 5'-Di-O-acetyl-2'-deoxy-5-iodouridine, C<sub>13</sub>H<sub>15</sub>BrN<sub>2</sub>O<sub>7</sub>. *Acta Crystallogr.* 1983, **C39**, 1103-1105
312. L. Van Meervelt; Structure of 3', 5'-di-O-acetyl-N<sup>4</sup>-methoxycytosine. *Acta Crystallogr.* 1991, **C47**, 2635-2637
313. L. Van Meervelt, P.K.Thoo Lin, D.M. Brown; 6-(3,5-Di-O-acetyl-β-2-deoxyribofuranosyl)-3,4-dihydro-8H-pirymido[4,5-c][1,2]-oxazin-7(6H)-one. *Acta Crystallogr.* 1995, **C51**, 1347-1350
314. J.N. Low, P. Tollin, R.A. Howie; Structure of 3'-O-acetyl-2'-deoxyadenosine. *Acta Crystallogr.* 1987, **C43**, 2184-2186
315. A. Schouten, J.A. Kanter; Structure of the hexagonal modification of 3'-O-acethylthymidine. *Acta Crystallogr.* 1991, **C47**, 1320-1322
316. R.S. Eccleston, C.C. Wilson, R.A. Howie; Structure of 3'-O-acetylthymidine. *Acta Crystallogr.* 1988, **C44**, 1424-1426
317. J.W. Quail, G. Tourigny, L.T.J. Delbaere, O.A.L. El-Kabbani, A.L.Stuart, S.V. Gupta; Structure and conformation of 3'-O-acetyl-2'-deoxy-5-methoxymethyluridine. *Acta Crystallogr.* 1988, **C44**, 150-154
318. W. Saenger, D. Suck; Kristall- und Molekülstruktur von 3'-O-Acetyl-4-thiothymidin. *Acta Crystallogr.* 1971, **B27**, 2105-2112
319. D. Suck, W. Saenger, P. Main, G. Germain, J-P. DeClercq; X-Ray structure of 3',5'-diacetyl-2'-deoxy-2'-fluorouridine: a pyrimidine nucleoside in the syn conformation. *Biochimica et Biophysica Acta* 1974, **361**, 257-265
320. Y.C. Liaw, Y.G. Gao, V.E. Marquez, A.H.J. Wang; Molecular structure of two new anti-HIV nucleoside analogs: 9-(2,3-dideoxy-2-fluoro-β-D-threo-pentofuranosyl)adenine and 9-(2,3-dideoxy-2-fluoro-β-D-threo-pentofuranosyl)hipoxanthine. *Nucleic Acid Research* 1992, **20**(3), 459-465
321. J. He, H. Eickmeier, F. Seela; 6-Amino-3-bromo-1-(2-deoxy-2-fluoro-β-D-arabinofuranosyl)-1,5-dihydro-4H-pyrazolo[3,4-d]pyrimidin-4-one-acetone-water (1/1/1): a fluorinated 2'-deoxyguanosine analogue with the sugar conformation of a ribonucleoside. *Acta Crystallogr.* 2003, **C59**, o406-o408
322. A. Hempel, N. Camerman, J. Grierson, D. Mastropaoletti, A. Camerman; FF-β-D-Arabinofuranosyluracil. *Acta Crystallogr.* 1999, **C55**, 632-633

323. F Seela, P. Chittep, J. He, H. Eickmeier; 6-Aza-2'-deoxy-2'-arabinofluorouridine, a 2'-deoxyribonucleoside with an N-sugar conformation in the solid state and in solution. *Acta Crystallogr.* 2004;C60, o884-o886
324. G.I. Birnbaum, M. Cygler, K.A. Watanabe, J. Fox; Structure and conformation of the antiviral nucleoside 2'-fluoro-5-iodoarabinosylcytosine (FIAC). The gauche effect in nucleosides. *J.Am.Chem.Soc.* 1982, 104(26), 7626-7630
325. A. Sivalakshmidevi, K. Vyas, G. Om Reddy, S. D. V. N. Sivaram, P. V. Swamy, R. Puranik, P. Sairam; 2'-Deoxy-2',2'-difluorocytidine monohydrochloride (Gemcitabine hydrochloride). *Acta Crystallogr.* 2003 E59, o1435-o1437
326. K. Morishita, T. Hakoshima, T. Fujiwara, K.-I. Tomita, T. Kaneyasu, S. Uesugi, M. Ikehara; Structure of 2'-deoxy-2'-fluoroadenosine (dAfl): C<sub>10</sub>H<sub>12</sub>N<sub>5</sub>O<sub>3</sub>F. *Acta Crystallogr.* 1984 C40, 434-436
327. T. Hakoshima, H. Omori, K.I. Tomita, H. Miki, M. Ikehara; The crystal and molecular structure of 2'-deoxy-2'-fluoroinosine monohydrate. *Nucleic Acid Research* 1981, 9, 711-729
328. D. H. Everaert, O. M. Peeters, N. M. Blaton, C. J. De Ranter, A. Van Aerschot, P. Herdewijn; Structure of a nucleoside analogue, 3'-deoxy-2'-fluorothymidine. *Acta Crystallogr.* 1990 C46, 1934-1936
329. A. K. Das, A. Mukhopadhyay, N. Das, S. K. Mazumdar, V. Bertolasi, A. Van Aerschot; 3'-Deoxy-2',3'-difluorothymidine, a Nucleoside Analogue. *Acta Crystallogr.* 1996, C52, 2615-2616
330. D. H. Everaert, O. M. Peeters, N. M. Blaton, C. J. De Ranter, A. Van Aerschot, P. Herdewijn; Structure of nucleoside analogues 3'-fluoro-2',3'-dideoxyuridine, 3'-fluoro-2',3'-dideoxy-5-bromouridine and 3'-azido-2',3'-dideoxy-5-bromouridine. *Acta Crystallogr.* 1991 C47, 898-902
331. D. H. Everaert, O. M. Peeters, N. M. Blaton, C. J. De Ranter, A. Van Aerschot, P. Herdewijn; Structure of a nucleoside analogue 2',3'-dideoxy-3',5-difluorouridine. *Acta Crystallogr.* 1992 C48, 590-592
332. D. H. Everaert, O. M. Peeters, N. M. Blaton, C. J. De Ranter, A. Van Aerschot, P. Herdewijn; Structure of a nucleoside analogue 2',3'-dideoxy-3'-fluoro-5-iodouridine. *Acta Crystallogr.* 1990 C46, 1936-1938
333. N. Camerman, D. Mastropaoletti, A. Camerman; Structure of the anti-human immunodeficiency virus agent 3'-fluoro-3'-deoxythymidine and electronic charge calculations for 3'-deoxythymidines. *Proceedings of National Academy of Sciences U.S.A* 1990, 87, 3534-353
334. D. H. Everaert, O. M. Peeters, N. M. Blaton, C. J. De Ranter; Structure of a nucleoside analogue, 3'-deoxy-3'-fluorothymidine. *Acta Crystallogr.* 1990;C46, 1730-1732
335. H. L. De Winter, N. M. Blaton, O. M. Peeters, C. J. De Ranter, A. Van Aerschot, P. Herdewijn; Structure of the modified nucleoside 2,3'-dideoxy-3'-fluorocytidine. *Acta Crystallogr.* 1991;C47, 832-835
336. A. K. Das and S. K. Mazumdar; 3'-Isocyano-2',3'-dideoxyuridine (NCddUrd): a Nucleoside Analogue. *Acta Crystallogr.* 1995, C51, 1652-1654
337. S. Neidle, J. P. Chattopadhyaya, N. Hossain, A. Papchikhin; 2',3'-Dideoxy-3'-nitrothymidine and 2'-Propoxy-3'-nitrothymidine. *Acta Crystallogr.* 1996 C52, 3173-3177
338. A: P. Van Roey, J.M. Salerno, C.K. Chu, R.F. Schinazi; Correlation between preferred sugar ring conformation and activity of nucleoside analogues against human immunodeficiency virus. *Proceedings of National Academy of Sciences U.S.A* 1989, 86, 3929-3933  
 B: P. Van Roey, J.M. Salerno, W.L. Duax, C.K. Chu, M.K. Abu, R.F. Schinazi; Solid state conformation of anti-human immunodeficiency virus type-1 agents: crystal structures of three 3'-azido-3'-deoxythymidine analogues. *J.Am.Chem.Soc.* 1988, 110, 2277-2282

339. J.N. Low, P. Tollin; Strucutres of 3'-azido-2',3'-dideoxy-1- $\beta$ -D-threo-pentofuranosyluracil and 3'-azido-2',3'-dideoxy-1- $\beta$ -erythro-pentofuranosyl. *Acta Crystallogr.* 1989 **C45**, 664-666
340. G.I. Birnbaum, J. Giziewicz, E.J. Gabe, T.S. Lin, W.H. Prusoff; Structure and conformation of 3'-azido-3'-deoxythymidine (AZT), an inhibitor of the HIV (AIDS) virus. *Canadian Journal of Chemistry* 1987, **65**, 2135-2139
341. A. Camerman, D. Mastropaoletti, N. Camerman; Azidothymidine: crystal structure and possible functional role of the azido group. *Proceedings of National Academy of Sciences U.S.A* 1987, **84**, 8239-8242
342. I. Dyer, J.N. Low, P. Tollin, H.R. Wilson, A.R. Howie; Structure of 3'-azido-3'-deoxythymidine, AZT. *Acta Crystallogr.* 1988 **C44**, 767-769
343. J. N. Low, R. A. Howie; Structure of 3-(3-azido-2,3-dideoxy- $\beta$ -D-erythro-pentofuranosyl)cytosine hydrogen chloride. *Acta Crystallogr.* 1990; **C46**, 84-86
344. W. S. Sheldrick, M. Morris; 3'-Amino-3'-deoxyinosine. *Acta Crystallogr.* 1981; **B37**, 766-767
345. W. S. Sheldrick, M. Morris; The stereochemistry of 3'-N-substituted 3'-deoxyadenosines. *Acta Crystallogr.* 1980; **B36**, 2328-2333
346. M. Sundaralingam, S.K. Arora; Crystal structure of aminoglycosyl antibiotic puromycin dihydrochloride pentahydrate. Models for the terminal 3'-aminoacyladenine moieties of transfer RNA's and protein-nucleic acid interactions. *Journal of Molecular Biology* 1972, **71**, 49-70
347. W. Saenger; A purine nucleoside in syn conformation. Molecular and crystal structures of 5'-methylammonium-5'-deoxyadenosine iodide monohydrate. *J.Am.Chem.Soc.* 1971, **93**(12), 3035-3041
348. G.I. Birnbaum, T.-S. Lin, G.T. Shiao, W.H. Prusoff; A novel zwitterionic structure and an unusual sugar ring conformation in 5-iodo-5'-amino-2',5'-dideoxyuridine, an antiviral nucleoside. *J.Am.Chem.Soc.* 1979, **101**(12), 3353-3358
349. H.-G. Schäuble, J. W. Bats, J. W. Engels; 5'-Azido-2',5'-dideoxythymidine. *Acta Crystallogr.* 1995 **C51**, 2410-2412
350. G. Biswas, A. Banerjee, W. Saenger; Structure of a modified cytosine: an antiviral nucleoside analog. *Acta Crystallogr.* 1987 **C43**, 1731-1734
351. R. McKenna, S. Neidle, P. Serafinowski; Structure of 5'-chloro-3',5'-dideoxyformycin A monohydrate. The effects of protonation on formycin structure and conformation. *Acta Crystallogr.* 1990 **C46**, 2448-2450
352. F. Takusagawa, H.M. Berman, M. Dabrow, R. K. Robins; Structure of N-[1'-(9-adenyl)- $\beta$ -D-ribofuranosyl]-L-phenylalanine water ethanol (1/2/1/4),  $C_{19}H_{20}N_6O_6 \frac{1}{2}H_2O \frac{1}{4}C_2H_6O$ . *Acta Crystallogr.* 1985, **C41**, 400-404
353. N. Borkakoti, R.A. Palmer; The crystal structure and conformational variations of 5'-methylthioadenosine. *Acta Crystallogr.* 1978, **B34**, 867-874
354. M. M. Radwan and H. R. Wilson; The structure of cordycepin. *Acta Crystallogr.* 1980 **B36**, 2185-2187
355. P. Karthe, N. Gautham, A. Kumar, S. B. Katti;  $\beta$ -D-3'-Deoxyadenosine (Cordycepin). *Acta Crystallogr.* 1997 **C53**, 1694-1696
356. R. McKenna, R. Kuroda, S. Neidle, P. Serafinowski; A structural study of 3'-deoxytubercidin and 3-deaza-3'-deoxyadenosine. *Acta Crystallogr.* 1987 **C43**, 1790-1793
357. R. McKenna, S. Neidle, P. Serafinowski; The structure of 3'-deoxyformycin hydrochloride. *Acta Crystallogr.* 1987 **C43**, 2358-2361
358. J.V. Silverton, F.R. Quinn, R.D. Haugwitz, L.J. Tornado; Structures of two dideoxynucleosides: 2',3'-dideoxyadenosine and 2',3'-dideoxycytidine. *Acta Crystallogr.* 1988, **C44**, 321-324

359. H. Kim, R. Parthasarathy; Structure and conformation of 5-bromo-2',3'-dideoxyuridine. *Acta Crystallogr.* 1991 **C47**, 1892-1895
360. K. Yamaguchi, K. Haraguchi, H. Tanaka, Y. Itoh and T. Miyasaka; Structure of a 4'-C-branched 2',3'-didehydro-2',3'-dideoxyuridine. *Acta Crystallogr.* 1992 **C48**, 2277-2278.
361. W.L.B. Hutcheon, M.N. James; The molecular geometry of 2',3'-dideoxy-2',3'-didehydroadenosine from an X-ray crystal structure determination. *Acta Crystallogr.* 1974, **B30**, 1777-1782
362. G. Bunick, D. Voet; Crystal and molecular structure of 9- $\beta$ -D-arabino furanosyladenine. *Acta Crystallogr.* 1974, **B30**, 1651-1660
363. A.K. Chwang, M. Sundaralingam, S. Hanessian; Crystal and molecular structure of a purine arabinonucleoside, 9- $\beta$ -arabinofuranosyladenine hydrochloride. *Acta Crystallogr.* 1974, **B30**, 2273-2277
364. A: P. Tollin, H.R. Wilson, D.W. Young; The crystal and molecular structure of uracil- $\beta$ -D-arabinofuranoside. *Acta Crystallogr.* 1973, **B29**, 1641-1647;  
B: J.S. Sherfinski, R.E. Marsh; The crystal structure of 1- $\beta$ -D-arabinofuranosyluracil. *Acta Crystallogr.* 1974, **B30**, 873-878
365. W. Saenger; Molecular and crystal structure of an arabino nucleoside. X-Ray analysis of 1- $\beta$ -D-arabinofuranosyl-4-thiouracil monohydrate. *J.Am.Chem.Soc.* 1972, **94**(2), 621-626
366. P. Tougaard; Structure crystalline et moléculaire de la 1- $\beta$ -D-arabinofuranosylthymine, isomorphe de la 1- $\beta$ -D-arabinofuranosyl-5-bromouracile. *Acta Crystallogr.* 1973, **B29**, 2227-2232
367. G. Biswas, A. Banerjee, D. Shugar, W. L. Duax; Structure and conformation of a nucleoside analog 5-nitro-1- $\beta$ -D-arabinofuranosyluracil. *Acta Crystallogr.* 1988 **C44**, 853-856
368. J.S. Sherfinski, R.E. Marsh; The crystal structure and absolute configuration of 1-( $\beta$ -D-arabinofuranosyl)cytosine hydrochloride. *Acta Crystallogr.* 1973, **B29**, 192-198
369. P. Tougaard, O. Lefebvre-Soubeyran; Stéréochimie de la 1- $\beta$ -D-arabinofuranosyl-cytosine. *Acta Crystallogr.* 1974, **B30**, 86-89
370. G. Ferguson, S.N. Scrimgeour, J.N. Low, P. Tollin; Structure of 5-fluoroarabinosylcytosine. *Acta Crystallogr.* 1986, **C42**, 591-593
371. K. Yamaguchi, G. Matsumura, M. Shimizu, H. Tanaka, T. Miyasaka; Structure of 1-( $\beta$ -D-arabinofuranosyl)-6-methylcytosine. *Acta Crystallogr.* 1992, **C48**, 384-385
372. G.I. Birnbaum, E. Darżynkiewicz, D. Shugar; Crystal structure and conformation of 3'-O-methyl derivative of 1- $\beta$ -D-arabinofuranosylcytosine. *J.Am.Chem.Soc.* 1975; **97**(20), 5904-5908
373. S. Neidle, G.L. Taylor, A.B. Robins; The structure of a platinum(II) complex of 1-( $\beta$ -D-arabinofuranosyl)cytosine. *Acta Crystallogr.* 1978, **B34**, 1838-1841
374. G. Biswas, Y. Iitaka, A. Bose, A. Banerjee; Structure of a modified cytosine: an antiviral nucleoside analog, homo-Ara-C. *Acta Crystallogr.* 1988, **C44**, 1269-1272
375. I. Ekiel, E. Darżynkiewicz, G.I. Birnbaum, D. Shugar; Structure and conformation of pyrimidine lyxofuranosides, 1- $\beta$ -D-lyxofuranosyluracil, 1- $\beta$ -D-lyxofuranosylcytosine and some O'-methyl derivatives. *J.Am.Chem.Soc.* 1979, **101**(16), 4724-4729
376. S.J. Cline, D.J. Hodgson; The crystal and molecular structure of 9- $\alpha$ -D-arabinofuranosyladenine. *Biochimica et Biophysica Acta* 1979, **563**, 540-544
377. F. Seela, M. Zulauf, H. Reuter, G. Kastner; 9-(2-Deoxy- $\alpha$ -D-ribofuranosyl)-7-iodo-7-deazaadenine. *Acta Crystallogr.* 1999, **C55**, 1560-1562

378. F. Seela, H. Rosemeyer, A. Melenewski, E.-M. Heithoff, H. Eickmeier, H. Reuter; The  $\alpha$ -D anomer of 5-aza-7-deaza-2'-deoxyguanosine. *Acta Crystallogr.* 2002 **C58**, o142-o144
379. J. Marfurt, E. Stulz, H. U. Trafelet, A. Zingg, C. Leumann, M. Hazenkamp, R. Judd, S. Schenker, G. Strouse, T. R. Ward, M. Fortsch, J. Hauser, H.-B. Burgi; 7-(2'-Deoxy- $\alpha$ -D-ribofuranosyl)hypoxanthine. *Acta Crystallogr.* 1996, **C52**, 713-716
380. D.C. Rohrer, M. Sundaralingam; Stereochemistry of nucleic acids and their constituents. XII. The crystal and molecular structure of  $\alpha$ -D-2'-amino-2'-deoxyadenosine monohydrate. *J.Am.Chem.Soc.* 1970, **92**(16), 4956-4962
381. M.L. Post, G.I. Birnbaum, C.P. Huber, D. Shugar;  $\alpha$ -Nucleosides in biological systems crystal structure and conformation of  $\alpha$ -cytidine. *Biochimica et Biophysica Acta* 1977, **479**, 133-142
382. V.W. Armstrong, J.K. Dattagupta, P. Eckstein, W. Saenger; The base catalysed anomeration of  $\beta$ -5-formyluridine; crystal and molecular structure of  $\alpha$ -5-formyluridine. *Nucleic Acids Research* 1976, **3**(7), 1791-1810
383. T.A. Hamor, M.K. O'Leary, R.T. Walker; The crystal and molecular structure of  $\alpha$ -5-acetyl-2'-deoxyuridine. *Acta Crystallogr.* 1977, **B33**, 1218-1223
384. D.C. Rohrer, M. Sundaralingam; Stereochemistry of nucleic acids and their constituents. XI. The molecular structure and conformation of  $\alpha$ -pseudouridine monohydrate, an unusual nucleoside with "glycosidic" carbon-carbon bond. *J.Am.Chem.Soc.* 1970, **92**(16), 4950-4955
385. C. G. Suresh, K. Sakthivel, T. Pathak; 5'-O-Benzoyl-2',3'-dideoxy-2'-oxo- $\alpha$ -uridine. *Acta Crystallogr.* 1996, **C52**, 1776-1779
386. A. Kálmán, T. Koritsánszky, J. Béres, G. Sági; Crystal and molecular structure of (+)- carba-thymidine,  $C_{11}H_{16}N_2O_6$ . *Nucleosides & Nucleotides* 1990, **9**(2), 235-243
387. M. Sun, I. Basnak, T. A. Hamor, R. T. Walker;  $\alpha$ -5-Adamantyl-4'-thio-2'-deoxyuridine Methanol Solvate. *Acta Crystallogr.* 1996, **C52**, 2556-2558
388. M. Sun, A. C. Macculloch, T. A. Hamor, R. T. Walker; 5-Methyl-2'-deoxy-4'-thio- $\alpha$ -uridine (R)-S-oxide. *Acta Crystallogr.* 2000 **C56**, 1492-1493
389. M. Sun, A. C. Macculloch, T. A. Hamor, R. T. Walker; 5-Ethyl-2'-deoxy-4'-thiouridine (R)-S-oxide monohydrate. *Acta Crystallogr.* 2000, **C56**, 116-117
390. L.H. Koole, J. Plavec, H. Liu, B.R. Vincent, M.R. Dyson, P.L. Coe, R.T. Walker, G.W. Hardy, S. G. Rahim, J. Chattopadhyaya; Conformation of two 4'-thio-2'-deoxynucleoside analogs studied by 500-MHz  $^1H$  NMR spectroscopy and X-ray crystallography. *J.Am.Chem.Soc.* 1992, **114**(25), 9936-9943
391. G. Inguaggiato, D. Hughes, E. De Clercq, J. Balzarini, C. Simons; Novel 6-azapyrimidine-2'-deoxy-4'-thionucleosides: synthesis, biological evaluation and conformational analysis. *Antiviral Chemistry & Chemotherapy* 1999, **10**, 241-249
392. D. Suck, W. Saenger; The crystal and molecular structure of  $O^2,2'$ -cyclouridine. Influence of O(2)-C(2') cyclization on the sugar of pyrimidine nucleosides. *Acta Crystallogr.* 1973, **B29**, 1323-1330
393. L.T. Delbaere, M.N.G. James; The crystal and molecular structure of 2,2'-anhydro-1- $\beta$ -D-arabinofuranosyl uracil. *Acta Crystallogr.* 1973, **B29**, 2905-2912
394. J.W. Bats, U. Parsch, J. Wengel; Solid-state transformation of 4,2'-anhydro-5-( $\beta$ -D-arabinofuranosyl)uracil monohydrate. *Acta Crystallogr.* 2000 **C56**, 1129-1131

395. Y. Yamagata, J. Yoshimura, S. Fujii, T. Fujiwara, K.I. Tomita, T. Ueda; Structural studies of pyrimidines cyclonucleoside derivatives. V. Structure of 2,2'-anhydro-1- $\beta$ -D-arabinofuranosyl 2-thiouracil. *Acta Crystallogr.* 1980 **B36**, 343-346
396. David H. Harrison, Raymond F. Schinazi, Byron H. Rubin; Crystal structure and anti herpes simplex virus activity of 2,2'-anhydro-1- $\beta$ -D-arabinofuranosylthymine. *J. Med. Chem.* 1982, **25**(12), 1507-1510
397. M. L. Główka, I. Iwanicka, G. Gilli, V. Bertolasi; Structure of 2,2'-anhydro-1- $\alpha$ -D-arabinofuranosyl-6-methyluracil hemihydrate. *Acta Crystallogr.* 1986 **C42**, 1526-1529
398. W.L.B. Hutcheon, M.N.G. James; The crystal structure of 2,2'-anhydro-2-hydroxy-1-( $\beta$ -D-arabinopentofuranosyl)-4-pyridone. *Acta Crystallogr.* 1977, **B33**, 2228-2232
399. G.I. Birnbaum, J. Giziewicz, C.P. Huber, D. Shugar intramolecular hydrogen bonding and acidities of nucleoside sugar hydroxyls. Crystal structure and conformation of  $O^2,2'$ -anhydro-1- $\alpha$ -D-xylofuranosyluracil. *J.Am.Chem.Soc.* 1976, **98**(15), 4640-4644
400. Y. Yamagata, N. Okabe, Ken-ichi Tomita, S. Shuto, H. Inoue, T. Ueda; Structural studies of pyrimidine cyclonucleoside derivatives. IX. Structure of 6,2'-anhydro-6-ethyl-1- $\beta$ -D-arabinofuranosyluracil. *Acta Crystallogr.* 1985 **C41**, 1653-1656
401. J.I. Smith, A. Chwang, M. Sundaralingam; The crystal structure and molecular conformation of 7,2'-anhydro- $\beta$ -D-arabinosylorotidine (Cyclo Ara-O). *Acta Crystallogr.* 1980 **B36**, 833-837
402. T. Brennan, M. Sundaralingam; Molecular structure of 2,2'-anhydro-1- $\beta$ -D-arabinofuranosyl cytosine hydrochloride (cyclo ara-C): a highly rigid nucleoside. *Biochemical and Biophysical Research Communications* 1973, **52**(4), 1348-1353
403. Y. Yamagata, Y. Suzuki, S. Fujii, T. Fujiwara, K.I. Tomita; Structural studies of *O*-cyclocytidine derivatives. III. The crystal and molecular structure of 2,2'-anhydro-1- $\beta$ -D-arabinofuranosylcytosine-3',5'-diphosphate monohydrate. *Acta Crystallogr.* 1979, **B35**, 1136-1140
404. Y. Yamagata, M. Koshibe, R. Tokuoka, S. Fujii, T. Fujiwara, T. Kanai, K.I. Tomita; Structural studies of *O*-cyclocytidine derivatives. II. The crystal and molecular structures of 2,2'-anhydro-1- $\beta$ -arabinofuranosyl-5-dimethylsulfonio-6-oxocytosine chloride and 2,2'-anhydro-1-{3',5'-di-*O*-acetyl- $\beta$ -D-arabinofuranosyl}-5-chloro-6-oxocytosine and the comparison with their conformations in aqueous solution. *Acta Crystallogr.* 1979, **B35**, 382-389
405. Y. Yamagata, S. Fujii, T. Kanai, K. Ogawa, K.-I. Tomita; Structural studies of *O*-cyclocytidine derivatives. I. The crystal and molecular structure of 6,2'-anhydro-1- $\beta$ -D-arabinofuranosyl-6-hydroxycytosine. *Acta Crystallogr.* 1979 **B35**, 378-382
406. S. Neidle, G.L Taylor, P.C. Cowling; the crystal and molecular structure of 8,2'-cycloadenosine trihydrate. *Acta Crystallogr.* 1979, **B35**, 708-712
407. K. Tanaka, S. Fujii, T. Fujiwara, K.I. Tomita; Structural studies of *S*-cycloadenosine derivatives. I. The crystal and molecular structure of 8,2'-anhydro-8-mercaptop-9- $\beta$ -D-arabinofuranosyladenine 5'-monophosphate trihydrate (8,2'-*S*-cyclo-5'-AMP). *Acta Crystallogr.* 1979, **B35**, 929-933
408. A. Miyame, K. Tanaka, K. Hamada, S. Fujii, K.I. Tomita; Structural studies of *S*-cycloadenosine derivatives. I. The crystal and molecular structure of 8,2'-anhydro-8-mercaptop-9- $\beta$ -D-arabinofuranosyladenine 3'-monophosphate (A<sup>S</sup>p). *Acta Crystallogr.* 1982 **B38**, 1937-1942
409. Y. Yamagata, K-I. Tomita, H. Usui, A. Matsuda, T. Ueda; Molecular conformation of carbon-bridged cyclodeoxyadenosines in the solid state and in solution. 2'-Deoxy-8,2-methanoadenosine and 2'-eoxy-8,2'-ethanoadenosine. *Chemical and Pharmaceutical Bulletin* 1992, **40**(1), 6-11

410. M. Yoneda, K. Tanaka, T. Fujiwara, K.I. Tomita; Structural studies of S-cycloadenosine derivatives. II. The crystal and molecular structure of 8,3'-anhydro-8-mercaptop-9- $\beta$ -D-xylofuranosyladenine (8,3'-S-cyclo A). *Acta Crystallogr.* 1979, **B35**, 2355-2358
411. Y. Yamagata, N. Okabe, K. Tomita, S. Shuto, T. Ueda; Structural studies of pyrimidine cyclonucleoside derivatives. X. Structure of 5'-O-acetyl-6,3'-anhydro-2'-deoxy-6-methyl-1- $\beta$ -D-xylofuranosyluracil. *Acta Crystallogr.* 1985 **C41**, 1656-1658
412. X-B. Yang, K. Misiura, W.J. Stec, M. Potrzebowski, S. Kaźmierski, M. Wieczorek, W.R. Majzner, G.D. Bujacz; Nucleophilic N<sup>1</sup>→N<sup>3</sup> rearrangement of 5'-O-trityl-O<sup>2</sup>,3-cycloanhydrothymidine. *Nucleosides, Nucleotides & Nucleic Acids* 2000, **19**(10-12), 1657-1673
413. a: P.C. Manor, W.Saenger, D.B. Davies, K. Jankowski, A. Rabczenko; Conformation of nucleosides: the comparison of an X-ray diffraction and proton NMR study of 5',2-O-cyclo,2',3'-O-isopropylidene uridine. *Biochimica et Biophysica Acta* 1974, **340**, 472-483 b: L.T.J. Delbaere, M.N.G. James; The crystal and molecular structure of 2,5'-anhydro-2',3'-isopropylidene cyclouridine. *Acta Crystallogr.* 1974, **B30**, 1241-1248
414. Y. Yamagata, S. Fukumoto, S. Fujii, K.I. Tomita, T. Maruyama, M. Honjo; Structural studies of pyrimidine cyclonucleoside derivatives. VII. Structure of 6,5'-anhydro-6-hydroxy-1- $\beta$ -D-ribofuranosylcytosine (6,5'-O-cyclo-C), C<sub>9</sub>H<sub>11</sub>N<sub>3</sub>O<sub>5</sub>. *Acta Crystallogr.* 1983, **C39**, 407-509
415. S. S. Mande, T. P. Seshadri, M.A. Viswamitra ; Structure of 6,5'-anhydro-6-hydroxy-2',3'-O-isopropylideneuridine. *Acta Crystallogr.* 1988, **C44**, 138-141
416. Y. Yamagata, S. Fujii, T. Fujiwara, K.I. Tomita, T. Ueda; Structural studies of pyrimidine cyclonucleoside derivative. IV. Structure of 2,5'-anhydro-1-(2',3'-O-isopropylidene- $\beta$ -D-ribofuranosyl)-2-thiouracil. *Acta Crystallogr.* 1980, **B36**, 339-343
417. S. Sugio, H. Mizuno, K. Kitamura, K. Hamada, M. Ikehara, K.-I. Tomita; Structure of 8,5'-anhydro-8-hydroxy-9- $\beta$ -D-ribofuranosyladenine (8,5'-O-cyclo-A) monohydrate C<sub>10</sub>H<sub>11</sub>N<sub>5</sub>O<sub>4</sub> · H<sub>2</sub>O. *Acta Crystallogr.* 1983, **B39**, 745-747
418. N. Gautham, P. Ramakrishnan, T. P. Seshadri, M. A. Viswamitra; Structure of a thionucleoside: 5'-deoxy-5',6-epithio-5,6-dihydro-2',3'-O-isopropylidene-3-methyluridine. *Acta Crystallogr.* 1982, **B38**, 2707-2709
419. N. Gautham, T.P. Seshadri, M.A. Viswamitra, S.A. Salisbury, D.M. Brown; Structure of 5'-deoxy-5',6-epithio-5,6-dihydro-2',3'-O-isopropylideneuridine, C<sub>12</sub>H<sub>16</sub>N<sub>2</sub>O<sub>5</sub>S. *Acta Crystallogr.* 1983, **C39**, 1389-1392
420. Y. Yamagata, K-I. Tomita, H. Usui, T. Sano, T. Ueda; Crystal and molecular structures of carbon-bridged cyclonucleoside. Substrate analogs of ribonuclease A. *Chemical and Pharmaceutical Bulletin* 1989, **37**(8), 1971-1976
421. G.I. Birnbaum, M. Cygier, L. Dudycz, R. Stolarski, D. Shugar; Comparison of solid state and solution conformations of R and S epimers of 8,5' -cycloadenosine and their relevance to some enzymatic reactions. *Biochemistry* 1981, **20** 3294-3301
422. T.P. Haromy, J. Raleigh, M. Sudaralingam; Enzyme bound conformations of nucleotide substrates. X-ray structure and absolute configuration of 8,5'-cycloadenosine monohydrate. *Biochemistry* 1980, **19**, 1718-1722
423. Y. Yamagata, S. Fujii, T. Fujiwara, K.I. Tomita, T. Ueda; Synthesis and molecular conformation of 2',3'-O-isopropylidene-5'-deoxy-6(R), 5'-cyclo-5,6-dihydouridine. *Biochimica et Biophysica Acta* 1981, **654**, 242-248

424. I. Leban, B. Golankiewicz, J. Zeidler, G. Giester, J. Kobe; 3,4-Dihydro-6-methyl-3- $\beta$ -ribofuranosyl-4,5'-cycl-9H-imidazo[1,2-a]purin-9-one hydrate. *Acta Crystallogr.* 2002, **C58**, o133-o135
425. S. Megati, S.E. Ealick, F.N.M. Naguib, M.H. el Kouni, R.S. Klein, B.A. Otter; O<sup>5',6'</sup>-methanocytidine-synthesis, conformational properties and deamination by cytidine deminase. *Nucleosides & Nucleotides* 1994, **13**(10), 2151-2168
426. M.P. Groziak, A. Koohang, W. C. Stevens, P.D. Robinson; A new class of nucleosides possessing unusual physical properties: synthesis, hydration and structural equilibria of 1-( $\beta$ -D-glycofuranosyl)uracil-6-carboxaldehydes. *J. Org. Chem.* 1993, **58**, 4054-4060
427. H. Ohishi, H. Urata, M. Akagi, K.-I. Tomita; A ( $\pm$ )-cyclocytidine analogue with low-anti conformation around glycosyl bond. *Acta Crystallogr.* 1998, **C54**, 980-982
428. S. Sprang, D.C. Rohrer, M. Sundaralingam; The crystal structure ad conformation of 2',3'-O-isopropylideneadenosine: the co-existence of a planar and puckered ribofuranose ring. *Acta Crystallogr.* 1978, **B34**, 2803-2810
429. S.S. Mande, T.P. Seshadri, M.A. Viswamitra; Structure of 2',3'-O-isopropylidene-guanosine hemihydrate. *Acta Crystallogr.* 1989, **C45**, 92-94
430. .S. Mande, T.P. Seshadri, M.A. Viswamitra; Structure of 2',3'-O-isopropylidene-guanosine dimethylsulfoxide solvate. *Acta Crystallogr.* 1988, **C44**, 912-914
431. S. Fujii, T. Fujiwara, K-I. Tomita; Structural studies on the two forms of 8-bromo-2',3'-O-isopropylidenoadenosine. *Nucleic Acids Research* 1976, **3** (8), 1985-1996
432. S.K. Katti, T.P. Seshadri, M.A. Viswamitra ; The structure of 2',3'-O-isopropylideneuridine. *Acta Crystallogr.* 1981, **B37**, 407-410
433. T.P. Seshadri, N. Gautham, M.A. Viswamitra; Structure of 5'-O-acetyl-2',3'-O-isopropylideneuridine, C<sub>14</sub>H<sub>18</sub>N<sub>2</sub>O<sub>7</sub>. *Acta Crystallogr.* 1983, **C39**, 1706-1708
434. N. Gautham, T.P. Seshadri, M.A. Viswamitra, S. Salisbury; Structure of 2',3'-O-isopropylidene-5'-O-tosyluridine, C<sub>19</sub>H<sub>22</sub>N<sub>2</sub>O<sub>8</sub>S. *Acta Crystallogr.* 1983, **C39**, 459-461
435. Gautham, T.P. Seshadri, M.A. Viswamitra; Structure of 5-bromo-2',3'-O-isopropylideneuridine, C<sub>12</sub>H<sub>15</sub>BrN<sub>2</sub>O<sub>6</sub>. *Acta Crystallogr.* 1983, **C39**, 456-458
436. Y. Yamagata, Y. Kobayashi, N. Okabe, K-I. Tomita, T. Ueda; Structure of 2',3'-O-isopropylidene-5-bromouridine. *Nucleosides and Nucleotides* 1983, **2**(4), 327-334
437. Y. Yamagata, Y. Kobayashi, N. Okabe, K-I. Tomita, T. Sano, H. Inoue, T. Ueda; Structure of 2',3'-O-isopropylidene-6-cyanouridine. *Nucleosides and Nucleotides* 1983, **2**(4), 335-343
438. H. Kasai, S. Nishimura, H. Vorbrüggen, Y. Itaka; Crystal and molecular structure of the acetonide of 5-methylaminomethyl-2-thiouridine. *F.E.B.S. Letters* 1979, **103** (2), 270-273
439. S.B. Larson, Y.S. Sanghvi, G.R. Revankar, R.K. Robins; Structures of two 8-(2,3-O-isopropylidene- $\beta$ -D-ribofuranosylamino)pyrimido-[5,4-d]pirimidines. *Acta Crystallogr.* 1989, **C45**, 1194-1198
440. William J. Cook, Steven E. Ealick, John A. Sechrist III; Structure of 2',3'-O-cyclohexylidene-4'-C-(2-methyl-2-propenyl)uridine, C<sub>19</sub>H<sub>26</sub>N<sub>2</sub>O<sub>6</sub>. *Acta Crystallogr.* 1984, **C40**, 885-887
441. A. J. de Kok, C. Romers, H.P.M. de Leeuw, C. Altona, J.H. van Boom; Crystal structure and molecular conformation of 2',3'-O-methoxymethyleneuridine: X-ray and nuclear magnetic resonance investigation. *Journal of Chemical Society, Perkin Transaction 2* 1977, 487-493
442. J.D. Hoogendorp, C. Romers; The structure of 2',3'-O-(tetraisopropyl-1,3-disloxanediy)cytidine at 97 K. *Acta Crystallogr.* 1982, **B38**, 2738-2741

443. B.M. Burkhart, A. Papchikin, J. Chattopadhyaya, M. Sundaralingam; 2',3'-Dideoxy-3'-C, 2'-N-[*(3R,5R)*-5-ethoxycarbonyl-2-methyl-1,2-isoxazolidine]-ribothymidine. *Acta Crystallogr.* 1995, **C51**, 1462-1464
444. L.H. Koole, S. Neidle, M.D. Crawford, A.A. Krajewski, G.V. Gurskaya, A. Sandström, J-C. Wu, W. Tong, J. Chattopadhyaya; Comparative structural studies of [3.1.0]-fused 2',3' modified  $\beta$ -D-nucleosides by X-ray crystallography, NMR spectroscopy and molecular mechanics calculations. *Journal of Organic Chemistry* 1991, **56** (24), 6884-6892
445. G.V. Gurskaya, A.V. Bochkarev, A.S. Zdanov, A.V. Papchikhin, P.P. Purygin, A.A. Krayevsky; X-Ray analysis of 2',3'-lyxoanhydrothymidine, a conformationally restricted inhibitor of retroviral reverse transcriptases. *F.E.B.S. Letters* 1990, **265**(1-2), 63-66
446. Y. Hari, S. Obika, M. Sakaki, K-I. Morio, Y. Yamagata, T. Imanishi; Effective synthesis of C-nucleosides with 2',4'-BNA modification. *Tetrahedron* 2002, **58**, 3051-3063
447. G. Wang, J-L. Girardet, E. Gunic; Conformationally locked nucleosides. Synthesis and stereochemical assignments pf 2'-C,4'-C-brifdged bicyclonucleosides. *Tetrahedron* 1999, **55**, 7707-7724
448. J. Ravn, N. Thorup, P. Nielsen; A conformationally locked tricyclic nucleoside. Synthesis, crystal structure and incorporation into oligonucleotides. *Journal of Chemical Society, Perkin Transaction 1* 2001, 1855-1861
449. S. Obika, M. Sekiguchi, T. Osaki, N. Shibata, M. Masaki, Y. Hari, T. Imanishi; Synthesis and conformation of a novel bridged nucleoside with S-type sugar puckering, *trans*-3',4'-BNA monomer. *Tetrahedron Letters* 2002, **43**, 4365-4368
450. M. Tarköy, M. Bolli, B. Schweizer, C. Leumann; 31. Nucleic acid analogues with constraint conformational flexibility in the sugar phosphate backbone ('bicyclo-DNA'). Preparation of (3'S, 5'R)-2'-deoxy-3',5'-ethano- $\alpha\beta$ -D-ribonucleosides ('bicyclonucleosides'). *Helvetica Chimica Acta* 1993, **76**, 481-510
451. D.W. Jones, J.M. Sowden; Structure of 5-acetyl-1-(3,5-*O*-isopropylidene- $\beta$ -D-xylofuranosyl)uracil. *Acta Crystallogr.* 1982, **B38**, 1962-1965
452. K. Ueno, K. Furusawa, T. Katsura; Structures of sila analogues of cyclic nucleotides. *Acta Crystallogr.* 1990, **C46**, 1509-1513
453. C.H.M. Verdegaal, A.J. De Kok, H.P. Westerink, J.H. van Boom, C. Romers ; 3',5'-*O*-(tetraisopropyl1,3-disoxanediyl)cytidine. *Acta Crystallogr.* 1981, **B37**, 1924-1926
454. K.J. Shin, H.R. Moon, C. George, V.E. Marquez; Construction of the bicyclo[3.1.0]hexane template of a conformationally locked carbocyclic adenosine via an olefin keto-carbene cycloaddition. *Journal of Organic Chemistry* 2000, **65**, 2172-2178
455. B. Golankiewicz, W. Folkman; Methylation of desmethyl analogue of Y nucleosides. Wyosine from guanosine. *Nucl. Acids Res.*, 1983, **11**(15), 5243-5255
456. H. Bazin, X.-X. Zhou, C. Glemairec, J. Chattopadhyaya; An efficient synthesis of Y-nucleoside (wyosine) by regiospecific methylation of N4-desmethylwyosine using organozinc reagent. *Tetrahedron Lett.* 1987, **28** (28), 3275-3278
457. S.-I. Nakatsuka, T. Ohgi, T. Goto; Synthesis of wyosine (nucleoside Yt), a strongly fluorescent nucleoside found in *Torulopsis utilis* tRNA<sup>Phe</sup>, and 3-methylguanosine. *Tetrahedron Lett.*, 1978, 2579-2582
458. T. Itaya, H. Matsumoto, T. Watanabe, T. Harada; Synthesis of 3- $\beta$ -ribofuranosylwe, the most probable structure for wyosine from *Torulopsis utilis* phenylalanine transfer ribonucleic acid. *Chem. Pharm. Bull.*, 1985, **33**(6), 2339-2347

459. K. Hirota, Y. Kitade, Y. Kanbe, Y. Maki; Convenient methods for the synthesis of C-alkylated purine nucleosides: palladium-catalyzed cross-coupling reaction of halogenopurine nucleosides with trialkylaluminums. *J. Org. Chem.*, 1992, **57**, 5268-5270
460. T.-S. Lin, J.-C. Cheng, K. Ishiguro, A.C. Sartorelli; 8-Substituted guanosine and 2'-deoxyguanosine derivatives as potential inducers of the differentiation of friend erythroleukemia cells. *J. Med. Chem.*, 1985, **28** (9), 1194-1198
461. R.E. Holmes, R.K. Robins; Purine nucleosides. VII. Direct bromination of adenosine, deoxyadenosine, guanosine and related purine nucleosides. *J. Am. Chem. Soc.*, 1964, **86**, 1242-1245
462. S. M. Ikehara, K. Muneyama; Studies of Nucleosides and Nucleotides. XXX. Syntheses of 8-substituted guanosine derivatives. *Chem. Pharm. Bull.* 1966, **14**(1), 46-49.
463. J.A. Secrist III, A. Shortnacy-Fowler, L.L. Bennett Jr, J.A. Montgomery; Synthesis and biologic evaluation of 8-substituted derivatives of nebularine (9- $\beta$ -ribofuranosylpurine). *Nucleosides & Nucleotides*, 1994, **13**(5), 1017-10290
464. G.S. Buenger, V. Nair; Dideoxygenated purine nucleosides substituted at the 8-position: chemical synthesis and stability. *Synthesis*, 1990, **10**, 962-966
465. A. Matsuda, K. Watanabe, T. Miyasaka, T. Ueda; Synthesis and optical properties of 2'-deoxy-8,2'-methanoguanosine. *Chem. Pharm. Bull.* 1989, **37**(2), 298-303
466. R.E. Holmes, R.K. Robins; Purine nucleosides. IX. The synthesis of 9- $\beta$ -D-ribofuranosyl uric acid and other related 8-substituted purine ribonucleosides. *J. Am. Chem. Soc.* 1965, **87**(8), 1772-1776
467. M.P. Schweizer, J.T. Witkowski, R.K. Robins; Nuclear magnetic resonance determination of syn and anti conformation in pyrimidine nucleosides. *J. Am. Chem. Soc.*, 1971, **93**(3), 277-279
468. M.P. Schweizer, E.B. Banta, J.T. Witkowski, R.K. Robins; Determination of pyrimidine nucleoside syn, anti conformational preference in solution by proton and carbon-13 nuclear magnetic resonance. *J. Am. Chem. Soc.*, 1973, **95**(11), 3770-3778.
469. F.E. Hruska; Molecular conformation of orotidine, a naturally occurring nucleoside, in the syn conformation in aqueous solution. *J. Am. Chem. Soc.*, 1971, **93**(7), 1795-1797
470. S. Uesugi, M. Ikehara; Carbon-13 magnetic resonance spectra of 8-substituted purine nucleosides. Characteristic shifts for the syn conformation. *J. Am. Chem. Soc.*, 1977, **99**(10), 3250-3253
471. V. Nair, D.A. Young; Conformational correlation of purine nucleosides by high-field carbon-13 NMR data. *Magn. Reson. Chem.* 1987, **25**, 937-940
472. M. Ikehara, S. Uesugi, K. Yoshida. Studies on the conformation of purine nucleosides and their 5'-phosphates. *Biochemistry*, 1972, **11**(5), 830-835
473. R. Pless, L. Dudycz, R. Stolarski, D. Shugar; Purine nucleosides and nucleotides unequivocally in the syn conformation: guanosine and 5'-GMP with 8-*tert*-butyl and 8-( $\alpha$ -hydroxyisopropyl) substituents. *Z. Naturforsch.* 1978, **33c**, 902-907
474. R. Stolarski, C-E. Hagberg, D. Shugar; Studies on the dynamic *syn-anti* equilibrium in purine nucleosides with the aid of  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy. *Eur. J. Biochem.* 1984, **138**, 187-192
475. R. Stolarski, A. Pohorille, L. Dudycz, D. Shugar; Comparison of theoretical and experimental approaches to determination of conformation of nucleosides about the glycosidic bond. *Biochim. Biophys. Acta*, 1980, **610**, 1-19
476. F. Jordan, H. Niv; C8-Amino purine nucleosides. A well defined steric determinant of glycosyl conformational preferences. *Biochim. Biophys. Acta*, 1977, **476**, 265-271

477. B. Golankiewicz, W. Folkman;  $^{13}\text{C}$  NMR spectra of wyosine, a hypermodified nucleoside of transfer RNAs, a related compounds. *Magn.Reson.Chem.* 1985, **23**, 920-924
478. W. Zieliński, A. Rajca; Metody spektroskopowe i ich zastosowanie do identyfikacji związków organicznych. Wyd.Nauk.Techn. 2000, str. 122
479. B. Golankiewicz, W. Folkman, H. Rosemeyer, F. Seela;  $^{15}\text{N}$  NMR spectra of wyosine and related ribonucleosides. *Nucleic Acids Research*, 1987, **15**(21), 9075
480. C. Glemarec, G. Remaud, J. Chattopadhyaya; Distinction of  $^{15}\text{N}$  resonances based on differences in small  $^{15}\text{N}, ^1\text{H}$  coupling constants. An application of  $^1\text{H}$ -decoupled INEPT experiments. *Magn.Reson.Chem.* 1988, **26**, 307-310.
481. S.S. Wijmenga, B. N.M. van Buuren; The use of NMR methods for conformational studies of nucleic acids. *Progress in Nuclear Magnetic Resonance Spectroscopy*, 1998, **32**, 287-387
482. W. Guschlbauer; Conformational analysis of ribonucleosides from proton-proton coupling constants. *Biochim.Biophys.Acta*, 1980, **610**, 47-55
483. K. V. R. Chary, R. V. Hosur, Girjesh Govil, Zu Kun Tan, H. T. Miles; Novel solution conformation of DNA observed in d(GAATTCGAATTG) by two-dimensional NMR spectroscopy. *Biochemistry*; 1987; **26**(5); 1315-1322.
484. K. V. R. Chary, R. V. Hosur, Girjesh Govil, Changqing Chen, H. Todd Miles; Sequence-specific solution structure of d-GGTACGCGTACC. *Biochemistry*; 1988; **27**(10); 3858-3867.
485. J.V. Hines, S.M. Landry, G.Varani, I. Tinoco, Jr.; Carbon-Proton Scalar Couplings in RNA: 3D Heteronuclear and 2D Isotope-Edited NMR of a  $^{13}\text{C}$ -Labeled Extra-stable Hairpin. *J. Am. Chem. Soc.*; 1994; **116**(13); 5823-5831.
486. P.C. Kline, A.S. Serianni;  $^{13}\text{C}$ -Enriched ribonucleosides: synthesis and application of  $^{13}\text{C}-^1\text{H}$  and  $^{13}\text{C}-^{13}\text{C}$  spin-coupling constants to asses furanose and N-glycoside bond conformation. *J. Am. Chem. Soc.*; 1990; **112**; 7337-7381.
487. C.A. Podlasek, W.A. Stripe, I. Carmichael, M. Shang, B. Basu, A.S. Serianni;  $^{13}\text{C}-^1\text{H}$  Spin-coupling constants in the  $\beta$ -D-ribofuranosyl ring: effect of ring conformation on coupling magnitudes. *J.Am.Chem.Soc.*; 1996; **118**; 1413-1425.
488. T. Bandyopadhyay, J. Wu, W.A. Stripe, I. Carmichael, A.S. Serianni;  $^{13}\text{C}-^1\text{H}$  and  $^{13}\text{C}-^{13}\text{C}$  spin-couplings in [2'- $^{13}\text{C}$ ] 2'-deoxyribonucleosides: correlations with molecular structure. *J.Am.Chem.Soc.*; 1997; **119**; 1737-1744.
489. K.V.R. Chary, S. Modi; Analysis of intrasugar interproton NOESY peaks as an aid to determine sugar geometries in DNA fragments. *FEBS Lett.* 1988, **233**(2), 319-325
490. Anu Sheth, R. V. Hosur, Girjesh Govil, M. V. Hosur, K. K. Kannan, Zu Kun Tan, H. Todd Miles; Solution conformation of d-CTCGAGCTCGAG by two-dimensional NMR: conformational heterogeneity at XhoI cleavage site. *Biochemistry*; 1989; **28**(18); 7275-7282.
491. C. A. G. Haasnoot, F. A. A. M. de Leeuw , C. Altona; The relationship between proton-proton NMR coupling constants and substituent electronegativities—I : An empirical generalization of the karplus equation. *Tetrahedron*, 1980, **36**(19), 2783-2792
492. M.J. Minch; Orientational dependence of vicinal proton-proton NMR coupling constants: The Karplus relationship *Concepts in Magn. Reson.* 1994, **6**, 41-56
493. M.L. Huggins; Bond Energies and Polarities<sup>1</sup> *J. Am. Chem. Soc.* 1953; **75**(17); 4123-4126.

- 
494. M. Popenda; Zastosowanie metod magnetycznego rezonansu jądrowego oraz modelowania molekularnego w analizie strukturalnej RNA. Praca doktorska. 06.1998
495. C. A. G. Haasnoot, F. A. A. M. de Leeuw, H.P.M de Leeuw C. Altona; The relationship between proton-proton NMR coupling constants and substituent electronegativities. II-conformational analysis of the sugar ring in nucleosides and nucleotides in solution using a generalized Karplus equation. *Org.Magn.Res.* 1981, **15**, 43-52
496. F. A. A. M. de Leeuw, C. Altona; Computer-assisted pseudorotation analysis of five-membered rings by means of proton spin-spin coupling constants: Program PSEUROT. *J.Comp.Chem.* 1983, **4**, 428-437
497. M. Remin, D. Shugar; Conformation of the exocyclic 5'-CH<sub>2</sub>OH in nucleosides and nucleotides in aqueous solution from specific assignments of the H5' and H5'' signals in the NMR spectra. *Biochem. Biophys. Res. Commun.*, 1972, **48**(2), 636-642
498. T. Itaya, T. Harada; Hydrolysis of nucleosides related to wyosine *J. Chem. Soc. Chem. Commun.* 1984, 858-859
499. J. Boryski, T. Ueda; Synthesis of an acid stable 2,5'-cyclo-2-oxo analogue of wyosine (nucleosides and nucleotides part 61). *Nucleos. & Nucleot.*, 1985, **4**(4), 477-486
500. B. Golankiewicz, T. Ostrowski, W. Folkman; Chemical synthesis and spontaneous glycosidic hydrolysis of 3'-methyl-2'-deoxyguanosine and 2'-deoxywyosine. *Nucleic Acids Res.* 1990, **18**, 4779-4782
501. B. Golankiewicz, T. Ostrowski, J. Boryski, E. de Clercq; Synthesis of acyclowyosine and acyclo-3-methyloguanosine, as probes for some chemical and biological properties resulting from the N-3 substitution of guanosine and its analogues. *J. Chem. Soc. Perk. Trans. 1*, 1991, 589-59
502. B. Golankiewicz, E. Zielonacka-Lis; Wynik nieopublikowany.
503. F. Seela, W. Bussmann; Synthesis of 2'-deoxy-1-deazawayosine. A stable 2'-deoxyisostere of rare tRNA constituent. *Tetrahedron*, 1985, **41**(5), 935-940